

# CUREGA+<sup>E</sup>

INTERNATIONAL



**ALLOPATHIC  
PRODUCTS**

## ALLOPATHIC PRODUCTS

### 1. ANTACIDS

#### 1. TABLETS ANTACID

Each uncoated chewable tablet contains:

Aluminium Hydroxide I.P. 250 mg

Magnesium Hydroxide I.P. 250 mg

Methyl Poly Siloxiane 50 mg

#### 2. Z-CID (100 ml)

Each 5ml contains:

Aluminium Hydroxide Gel I.P. 150 mg

Magnesium Trisilicate I.P. 6 2.5 mg

Sodium Alginate I.P. 100 mg

Simethicone . I.P. 12.5 mg

#### 3. ALUMINIUM HYDROXIDE TABLETS I.P.

Each uncoated tablet contains:

Dried Aluminium Hydroxide Gel. I.P. 500 mg

#### 4. MILK OF MAGNESIA I.P.(100 ml)

SMITH & KENNER'S MILK OF FMAGNESIA

Contains 8.5% w /w of

Magnesium Hydroxide I.P.

#### 5. SMITH'S SK-GEL MPS

Each 5 ml contains :

Activated Demethicone I.P 50 mg.

Magnesium Hydroxide I.P 250 mg.

(Added as Magnesium Hydroxide paste)

Dried Alluminium Hydroxide I.P 250 mg.

(Added as Alluminium Hydroxide paste)

Colour : Erythrosine

#### 6. ALUMINIUM HYDROXIDE AND MAGNESIUM TRISALICATE

TABLETS B.P

ANCID

Each chewable tablet contains

Aluminium Hydroxide B.P 200 mg.

Magnesium Trisilicate B.P 200 mg.

Colour : Tatzazine Supra FCF

### 2. ANTI AMOEBIC & ANTI DIARRHOEALS

#### 1. ANTIDA SUSPENSION

Each 5 ml contains:  
Furazolidone I.P. 34 mg  
Aluminium Hydroxide Gel I.P. 120 mg  
Metronidazole Benzoate I.P.  
Equivalent to Metronidazole I.P. 100 mg

### **. METAFUR TABLETS**

Each Uncoated tablet contains:  
Metronidazole I.P. 400 mg  
Diloxanide Furoate I.P. 500 mg

### **3. METRONIDAZOLE TABLETS I.P. MNZ-200 TABLETS**

Each Uncoated tablet contains:  
Metronidazole I.P. 200 mg

### **4. METRONIDAZOLE TABLETS I.P. MNZ-400 TABLETS**

Each Uncoated tablet contains:  
Metronidazole I.P. 400 mg

### **9. LOPERAMIDE TABLETS USP (Not for paediatric use) LOPED TABLETS**

Each uncoated tablet contains:  
Loperamide Hcl USP 2 mg

### **6. MEBENDAZOLE TABLETS I.P. MEBEN TABLETS**

Each Uncoated tablet contains:  
Mebendazole I.P. 100 mg

### **7. AMEBOID TABLETS**

Each film coated tablet contains:  
Norfloxacin I.P. 400 mg.  
Tinidazole I.P. 600 mg.

### **8. AMEBOID SUSPENSION 30ML AMEOBICIDOL**

Each 5 ml contains:  
Metronidazole - 100 mg  
Dilaxamide Furonate 125 mg

## **3. ANTI HYPERTENSIVE & ANTI ANGINAL DRUG**

### **1. AMLO-2.5**

Each Uncoated tablet contains:  
Amlodipine Besylate  
Equivalent to active  
Amlodipine base 2.5 mg

### **1. AMLO-5**

Each Uncoated tablet contains:  
Amlodipine Besylate  
equivalent to active  
Amlodipine base 5 mg

### **3. AMLO-10**

Each Uncoated tablet contains:  
Amlodipine Besylate  
Equivalent to active  
Amlodipine base 10 mg

**4. ATENOLOL TABLETS I.P.  
ATENOL-25**

Each Uncoated tablet contains:  
Atenolol I.P. 25 mg

**5. ATENOLOL TABLETS I.P.  
ATENOL-50**

Each Uncoated tablet contains:  
Atenolol I.P. 50 mg

**9. ATENOLOL TABLETS I.P.  
ATENOL-100**

Each Uncoated tablet contains:  
Atenolol I.P. 100 mg

**13. METHYL DOPA TABLETS I.P.**

Each film coated tablet contains:

(a)Methyldopa(Anhydrous) I.P. 125 mg

Each film coated Tablets contains:

(b) Methyl Dopa(Anhydrous) I.P. 250 mg

Each coated tablet contains:

(c) Methyl Dopa (Anhydrous) I.P. 500 mg

**8. DIAZEPAM TABLETS I.P.**

Each Uncoated tablet contains:  
Diazepam I.P. 2 mg

**9. DIAZEPAM TABLETS I.P.**

Each Uncoated tablet contains:  
Diazepam I.P. 5 mg

**10.DIAZEPAM TABLETS I.P.**

Each Uncoated tablet contains:  
Diazepam I.P. 10 mg

**11.ALPRAZOLAM TABLETS I.P. 0.50 mg**

Each uncoated tablet contains:  
Alprozolam I.P. 0.50 mg

**11.B. ALPRAZOLAM TABLETS I.P. 0.25 mg**

Each uncoated tablet contains:  
Alprozolam I P. 0.25 mg

**12. ESPRIL**

Each uncoated tablet contains:  
Lisinopril (Dihydrate) USP  
Equivalent to Lisinopril 2.5 mg

**13. NORTIM**

Each film coated tablet contains:  
Nortriptyline Hydrochloride I.P.  
Equalent to Nortriptyline 25 mg.

Excipients q.s.

14. SK.LOSARP-25

Each tablet contains  
Losartan Potassium 25 mg.

15. SK.ATO-25

Each tablet contains :  
Atorvastatin 10 mg.  
(As Atorvastatin Calcium)

## **4. ANTI – TUSSIVE, EXPECTORANTS & ANTI ALLERGIC**

1. SALBUTAMOL TABLETS I.P.

Each Uncoated tablet contains:  
Salbutamol Sulphate I.P.  
Equivalent to Salbutamol I.P. 2 mg

2. SALBUTAMOL TABLETS I.P.

Each Uncoated tablet contains:  
Salbutamol Sulphate I.P.  
Equivalent to Salbutamol I.P. 4 mg

3. SOFEL(60 ml)

Each 5 ml contains:  
Salbutamol Sulphate I.P.  
Equivalent to Salbutamol I.P. 1 mg  
Guaphenesin I.P. 50 mg

4. SALBUTAMOL SYRUP I.P.(60 ml)

SOLOMOL  
Each 5 ml contains:  
Salbutamol Sulphate I.P.  
Equivalent to Salbutamol I.P. 2 mg.

5. THEOPHYL (60 ml)

Each 5 ml contains:  
Choline Theophyllinate B.P. 125 mg  
(Equivalent to 80 mg of Theophylline)

6. CHLOR PHENIRAMINE MALEATE TABLETS I.P.

Each Uncoated tablet contains:  
Chlorpheniramine Maleate I.P. 4 mg

7. CHLOR PHENIRAMINE MALEATE TABLETS I.P.

Each Uncoated tablet contains:  
Chlorpheniramine Maleate I.P. 8 mg

8. THEOTOF TABLETS

Each Uncoated tablet contains:  
Etofylline I.P. 77 mg  
Theophylline(Anhydrous) I.P. 23 mg

9. 5A SYRUP (60 ml)

Each 5 ml contains:

Paracetamol I.P. 125 mg  
Phenylpropanolamine Hcl B.P. 5 mg  
Chlorpheniramine Maleate I.P. 2 mg  
Sodium Citrate I.P. 60 mg  
Ammonium Chloride I.P. 120 mg  
Menthol I.P. I.P. 1 mg  
Chloroform Spirit I.P. 1 mg

10. KENNERS EXPECTORANT(100 ml)  
Each 5 ml contains:  
Chlorpheniramine Maleate I.P. 2.5 mg  
Ammonium Chloride I.P. 125 mg  
Sodium Citrate I.P. 62.5 mg  
Diphen Hydramine  
hydrochloride I.P. 14 mg  
Menthol I.P. 1.25

11. KENTAL SYRUP (60 ml)  
Each 5 ml contains:  
Chlorpheniramine Maleate I.P. 2.5 mg

12. SBG-PLUS (100 ml)  
Each 5 ml contains:  
Salbutamol Sulphate I.P.  
Equivalent to Salbutamol I.P. 1 mg  
Bromhexine Hcl. I.P. 2 mg  
Guaiphenesin I.P. 50 mg.  
Menthol I.P. 0.5 mg

13. 5A TABLETS  
Each uncoated tablet contains:  
Paracetamol I.P. 500 mg.  
Chlorpheniramine Maleate I.P. 4 mg.  
Phenylpropanolamine Hcl. B.P. 10 mg  
Caffeine (Anhydrous) I.P. 30 mg.

14. ZERO COLD  
Each uncoated tablet contains:  
Phenylpropanolamine Hcl. B.P. 10 mg.  
Paracetamol I.P. 500 mg.  
Chlorpheniramine Maleate I.P. 2 mg.

15. HYDRODEX 60 ML Cough syrup Antitussive  
Decongestant  
Each 5 ml contains:  
Phenylpropanolamine  
Hydrochloride U.S.P 125 mg  
Dextromethorphan  
Hydrobromide I.P. 10 mg  
Deliciously flavoured  
Nonalcoholic  
Indications:  
Cough Of Various Aetiologies

16. KENTIZ

Each film coated tablet contains:  
Cetirizine Dihydrochloride 10 mg

**17 CETRIZINE & PSEUDOEPHEDRINE  
PEH-C**

Each uncoated tablet contains  
Pseudoephedrine Hydrochloride I.P 60 mg.  
Cetirizine Hydrochloride B.P 5 mg.

**18 PROMETHAZINE ORAL SOLUTION B.P  
PROM**

Each 5 ml contains :  
Promethazine Hydrochloride B.P 5 mg.  
Colour : Tatrazine Supra FCF

**19. COFCODIN (50 ml, 100 ml, 400 ml)**

Each 5 ml contains :  
Chlorpheniramine Maleate I.P 4 mg.  
Codeine Phosphate I.P 10 mg.

**20. PSEUDOEPHEDRINE HYDROCHLORIDE I.P  
PEH TABLETS**

Each uncoated tablet contains :  
Pseudoephedrine Hydrochloride I.P 60 mg.

**21. PSEUDOEPHEDRINE HYDROCHLORIDE I.P  
PEH SYRUP**

Each 5 ml contains :  
Pseudoephedrine Hydrochloride I.P 30 mg.

**22. SMITH'S DRIL EXPECTORANT**

Each 5 ml contains  
Diphehydromine Hydrochloride I.P 14.08 mg.  
Ammonium Chloride I.P 138 mg.  
Sodium Citrate I.P 57.03 mg.  
Menthol I.P 1.14 mg.  
Colours : Carmoisine, sunset yellow FCF, Erythrosine, Careamel I.P

**23. SMITH'S SK-RIL**

Each 5 ml contains  
Terbutane sulphate I.P 1.25 mg.  
Bromhexine Hydrochloride I.P 2 mg.  
Guaiphenesin I.P 50 mg.  
Menthol I.P 0.5 mg.  
Flavoured syrup base q.s  
Colour : Sunset Yellow FCF

**24. SMITH'S KENKODIN**

Each 5 ml contains :  
Dextromethorphan Hydrobromide I.P 10 mg.  
Chlorpheniramine Maleate I.P 4 mg.  
Phenyl Propanolamine Hydrochloride USP 25 mg.  
Colour : Sunset Yellow

**25. SMITH'S ACTION 5000+**

Each uncoated tablet contains  
Paracetamol I.P 500 mg.  
Phenyl Propanolamine Hydrochloride B.P 10 mg.

Caffeine (Anhydrous) I.P 30 mg.

### 26. UMBRELLA

Each uncoated tablet contains  
Chlorphenaramine Maleate I.P 2 mg.  
Phenylephrine Hcl B.P 5 mg.  
Caffeine (Anhydrous) I.P 15 mg.  
Paracetamol I.P 500 mg.

### 27. UMBRELLA SUSPENSION

Each 5 ml contains  
Chlorphenaramine Maleate I.P 2 mg.  
Phenylephrine Hcl B.P 5 mg.  
Caffeine (Anhydrous) I.P 15 mg.  
Paracetamol I.P 500 mg.

### 28. PHEDRINE TABLETS B.P

Each uncoated tablet contains  
Ephedrine Hydrochloride B.P 15 mg.

### 29. Sardan

Each uncoated tablet contains :  
Caffin (Anhydrous) B.P 30 mg.  
Paracetamol B.P 320 mg.  
Chlorpheniramine Meleate 4 mg.

### 30. CITRIZINE TABLETS

Kentiz  
Each film coated tablet contains  
Cetirizine Dihydrochloride B.P 10 mg.  
Colour : Titanium Dioxide

## **5.ANTI DIABETIC**

### 1. GLYZIDE

Each tablet contains:  
Glipizide B.P. 5 mg

### 2. SMITHGLI

Each tablet contains:  
Glibenclamide I.P. 5mg

### 3. METFORMIN TABLETS B.P

#### METMIN

Each film coated tablet contains :  
Metformin Hydrochloride B.P 500 mg.  
Colour : Titanium Dioxide B.P

## **6. ANIT EMETICS & ANTI NAUSEANTS**

### 1. DOMIDE TABLETS

Each enteric coated tablets contains:



Doxylomine Succinate USP 10 mg  
Pyridoxine Hcl. I.P. 10 mg

## 7. ALIMENTARY SYSTEM

### 1. GRIPOSTAT TABLETS

Each Uncoated tablet contains:  
Di-Cyclomine Hcl I.P. 20 mg  
Paracetamol I.P. 500 mg

### 2. SKZYME ( 200 ml)

Each 10 ml. (after dissolving the tablet) contains:  
Amylase (Fungal Diastase 1:800 from)  
Aspergillus Oryea) I.P. 62.5 mg.  
Pepsin I.P. 20 mg.

### 3. SKZYME CAPSULES

Each capsule contains:  
Fungal Diastate (1:1200) I.P. 50 mg.  
Pepsin (1:3000) I.P. 10 mg.

### 4. KENZOLE 20 MG

Each capsule contains:  
omeprazole I.P. 20 mg  
(as enteric coated granules)

### 5. SERRATIOPEPTIDASE TABLETS

#### SERADASE – 5

Each enteric film cotated tablet contains:  
Serratiopeptidas 5 mg  
(10,000 Serratiopeptidase Units)

### 6. ERRATIOPEPTIDASE TABLETS

#### SERADASE – 10

Each enteric film cotated tablet contains:  
Serratiopeptidas 10 mg  
(20,000 Serratiopeptidase Units)

## 8. ANTI MALARIAL

### 1. CLP-1000

Each film coated tablet contains  
chloroquine phospate I.P. 1000mg

### 2. CLP-500

Each film coated tablet contains  
chloroquine phospate I.P. 500mg

### 3. CHLOROQUINE PHOSPHATE TABLETS I.P.

Each Uncoated tablet contains:  
Chloroquine Phosphate I.P. 250 mg

### 4. PRIMAQUIN TABLETS I.P.

Each Uncoated tablet contains:

Primaquine Phosphate I.P.  
Equivalent to Primaquine 2.5 mg

5. ANTIMAL (60 ml)  
Each 5 ml contains:  
Chloroquine Phosphate I.P. 80 mg  
(Equivalent to 50mg. Of Chloroquine base)

## **9. ANALGESIC, ANTI PYRETIC & ANTI INFLAMMATORY DRUGS**

1. SYRUP PARACETAMOL I.P. (For Paediatric Use)  
Each 5 ml contains:  
Paracetamol I.P. 125mg

2. PARACETAMOL TABLETS I.P.  
Each Uncoated tablet contains:  
Paracetamol I.P. 500 mg

3. PARACETAMOL TABLETS I.P.  
Each Uncoated tablet contains:  
Paracetamol I.P. 300 mg

4. IBUPROFEN TABLETS I.P.  
Each film coated tablet contains:  
Ibuprofen I.P. 200 mg

5. ANALGIN TABLETS I.P.  
Each Uncoated tablet contains:  
Analgin I.P. 500 mg

6. IBUMETH TABLETS  
Each Uncoated tablet contains:  
Ibuprofen I.P. 400 mg  
Paracetamol I.P. 325 mg  
DL Methionine USP 32.5 mg

7. IBUMETH KID TABLETS  
Each Uncoated tablet contains:  
Ibuprofen I.P. 100 mg  
Paracetamol I.P. 125 mg  
Racemethionine USP 10 mg

8. AMNOCIN KID TABLETS  
Each Uncoated tablet contains:  
Paracetamol I.P. 250 mg  
Racemethionine USP 25 mg

9. PARADIC

Each Uncoated tablet contains:

Diclofenac Sodium I.P. 50 mg  
Paracetamol I.P. 500 mg

**10. DICOFEN**

Each enteric coated tablet contains:

Diclofenac Sodium I.P. 50 mg

**11. IBUPROFEN TABLETS I.P.**

IBU-400

Each Film-coated tablet contains:

Ibuprofen I.P. 400 mg

**12. IBU-JUNE (60 ml)**

Each 5 ml contains:

Ibuprofen I.P. 100 mg

**13. IBUCETOL TABLETS**

Each Uncoated tablet contains:

Ibuprofen I.P. 400 mg.

Paracetamol I.P. 325 mg

**14. IBUPROFEN TABLETS I.P.**

Each sugar-coated tablet contains:

Ibuprofen I.P. 400 mg

**15. ASPIRN TABLETS I.P.**

Each Uncoated tablet contains:

Aspirin I.P. 300 mg.

**16. AMNOCIN-125 (for Pediatric use)**

Each Uncoated tablet contains:

Paracetamol I.P. 125 mg

Racemethionine USP 12.5 mg

**17. IBUMETH SUSPENSION (For Pediatric Use)**

Each 5 ml contains:

Ibuprofen I.P. 100 mg

Paracetamol I.P. 125 mg

Syrup base G.S.

**18. TIME-20 TABLETS**

Each uncoated tablet contains:

Nimesulide 100 mg

**19. TIME-20 SUSPENSION 60 ML**

Each 5ml contains

Nimesulide 50 mg

**20. AMNOCIN TABLETS**

Each Uncoated tablet contains:

Paracetamol I.P. 500 mg

DL Methionine USB 50 mg

**21. AMNOCIN DROPS**

Each 2 ml contains:

Paracetamol I.P. 150 mg

Racemethionine. USP 15 mg

**22. AMNOCIN-4 PLUS(60 ml)**

Each 5 ml contains:

Paracetamol I.P. 240 mg

DL Methionine USP 24 mg

**23. AMNOCIN SUSP**

Each 5 ml contains:

Paracetamol I.P. 125 mg

Racemethionine USP 12.5 mg

**24 KENZAC 20 MG**

Each hard gelatin capsule contains:

fluoxetine U.S.P 20 mg

(as hydrochloride)

Excipients q.s.

**25. METOMOL TABLETS**

Each uncoated tablet contains:

Paracetamol I.P. 500 mg

Metoclopramide Hcl. I .P.

Equivalent to Anhydrous

Metoclopramide Hcl. 5 mg

**26. INDOMETHACIN CAPSULES I.P.**

Each Capsule contains:

Indomethacin I.P. 25mg

**27. SARIPAIN**

Each uncoated tablet contains :

Chlorpheniramine Maleate I.P 4 mg.

Paracetamol I.P 320 mg

Caffine (anhydrous) 30 mg.

**28. MUSK**

Each uncoated tablet contains :

Chlorzoxazone USP 250 mg.

Diclofenac Sodium B.P 50 mg.

Paracetamol B.P 500 mg.

**29. PIROXICAM CAPSULES B.P**

Each capsule contains

Piroxicam B.P 20 mg.

**30. SARIPAIN**

Each uncoated tablet contains :

Chlorpheniramine Maleate I.P 4 mg.

Paracetamol I.P 320 mg

Caffine (anhydrous) 30 mg.

**31. INTECAT (60 ml)**

Each 5 ml contains :

Metoclopramide Hydrochloride USP

Equivalent to Anhydrous Metoclopramide 5 mg.

## 10. ANTI BIOTICS

**1. AMOXYCILLIN CAPSULES I.P.**

Each capsule contains:

Amoxicillin Trihydrate I.P.

Equivalent to Amoxicillin 250 mg.

**2. AMOXYCILLIN CAPSULES I.P.**

Each capsule contains:

Amoxicillin Trihydrate I.P. 500 mg.

**3. AMPICILLIN CAPSULES I.P.**

Each Capsule Contains:

Ampicillin Trihydrate I.P.

Equivalent to Ampicillin I.P. 250 mg.

**4. AMPICILLIN CAPSULES I.P.**

Each capsule contains:

Ampicillin Trihydrate I.P.

Equivalent to Ampicillin I.P. 500 mg.

**5. CEPHAEXIN CAPSULES I.P.**

Each Capsule Contains:

Cephalexin I.P. ( Anhydrous) 250 mg.

**6. CEPHAEXIN CAPSULES I.P.**

Each Capsule Contains:

Cephalexin I.P. (Anhydrous) 500 mg.

**7. CHLORAMPHENICOL CAPSULES I.P.**

Each Capsule Contains:

Chloramphenicol I.P. 250 mg.

**8. CHLORAMPHENICOL CAPSULES I.P.**

Each Capsule Contains:

Chloramphenicol I.P. 500 mg.

**9. DOXYCYCLINE CAPSULES I.P.**

Each Capsule Contains:

Doxycycline Hydrochloride I.P.

Equivalent to Doxycycline 100 mg.

**10. DOXYCYCLINE CAPSULES I.P.**

Each Capsule Contains:

Doxycycline Hydrochloride I.P.

Equivalent to Doxycycline 200 mg.

**11. TETRACYCLINE CAPSULES I.P.**

Each Capsule Contains:

Tetracycline Hydrochloride I.P. 250 mg.

**12. RESIBAN**

Each Capsule Contains:

Ampicillin I.P. 250 mg.

(As Ampicillin Trihydrate I.P.)

Cloxacillin 250 mg.

(As Cloxacillin Sodium I.P.)

**13. CLOXACILLIN CAPSULES I.P**

Each Capsule Contains:  
Cloxacillin Sodium I.P.  
Equivalent to Cloxacillin 250 mg.

**14. RIFAMPICIN CAPSULES I.P.**

Each Capsule Contains:  
Rifampicin I.P. 150 mg.

**15. RIFAMPICIN CAPSULES I.P.**

Each Capsule Contains:  
Rifampicin I.P. 300 mg.

**16. AMOXYCILLIN DISPERSIBLE TABLETS I.P.  
AMO KID**

Each uncoated dispersible tablet contains:  
Amoxicillin Trihydrate I.P.  
Equivalent to Amoxicillin 125 mg.

**17. AMOXYCILLIN DISPERSIBLE TABLETS I.P.  
AMO KID FORTE**

Each uncoated dispersible tablet contains:  
Amoxicillin trihydrate I.P.  
Equivalent to Amoxicillin 250 mg.

**18. AMOXYCILLIN DISPERSIBLE TABLETS I.P.  
AMO FORTE**

Each uncoated tablet contains:  
Amoxicillin Trihydrate I.P.  
Equivalent to Amoxicillin 500 mg.

**19. AMOXYCILLIN ORAL SUSPENSION B.P  
AMOXY – DRY**

Each 5 ml reconstituted suspension contains  
Amoxicillin Trihydrate B.P  
Equivalent to Amoxicillin 125 mg.

**20. ROXYKEN SUSPENSION(Roxithromycin Suspension) 60 ml**

Each 5 ml contains  
Roxithromycin B.P 50mg.

**21. ROXYKEN -150 MG**

Each film coated tablet contains  
Roxithromycin B.P. 150 mg.  
Excipients q.s.

**22. ROXYKEN -300 MG**

Each film coated tablet contains  
Roxithromycin B.P. 300 mg.  
Excipients q.s.

**23. COTRIMOXAZOLE TABLETS I .P.**

**NEOTRIM FORTE TABLETS**  
Each Uncoated tablet contains:  
Trimethoprim I.P. 160 mg

Sulphamethoxazole I.P. 800 mg

**24. COTRIMOXAZOLE TABLETS I.P.  
NEOTRIM-KID TABLETS**

Each Uncoated tablet contains:  
Trimethoprim I.P. 40 mg  
Sulphamethoxazole I.P. 200 mg

**25. COTRIMOXAZOLE ORAL SUSPENSION I.P.  
NEOTRIM (60 ml)**

Each 5 ml contains:  
Trimethoprim I.P. 40 mg.  
Sulphamethoxazole I.P. 200 mg

**26. CIPROFLOXACIN TABLETS I.P.  
KENCIPRO – 250**

Each film-coated tablet contains:  
Ciprofloxacin Hydrochloride I.P.  
Equivalent to Ciprofloxacin I.P. 250 mg

**27. CIPROFLOXACIN TABLETS I.P.  
KENCIPRO – 500**

Each film-coated tablet contains:  
Ciprofloxacin Hydrochloride I.P.  
Equivalent to Ciprofloxacin I.P. 500 mg

**28. GRIS SUSPENSION**

Each 5 ml: (one teaspoonful) contains:  
125 mg Griseofulvin microsize in  
palatable suspension, Colored orange.  
Also contains alcohol 0.2%.

**29. CEFADROXIL TABLETS 500 Mg  
SKDROX –500**

Each un-coated tablet contains:  
Cefadroxil Monohydrate I.P.  
Equivalent to Anhydrous Cefadroxil 500 mg.

**30. CEFADROXIL DISPERSIBLE TABLETS I.P. 250 mg**

**SKDROX –250**  
Each un-coated dispersible tablet contains:  
Cefadroxil Monohydrate I.P.  
equivalent to Anhydrous Cefadroxil 250 mg.  
Excipients : q.s.

**31. ETHAMBUTOL TABLETS I.P.**

Each Uncoated tablet contains:  
Ethambutol Hydrochloride I.P. 400 mg

### 32. SULPHADIMIDINE TABLETS I.P.

Each Uncoated tablet contains:  
Sulphadimidine I.P. 500 mg

### 33. CLAVOMOX TAB

Each tablet contains :  
Amoxicillin Trihydrate I.P  
Equivalent to Amoxicillin 250 mg.  
Clavulanic Acid 125 mg.  
(Present as Clavulanate Potassium USP)

### 34. CLAVOMOX DRY SYRUP

Each 5 ml contains :  
Amoxicillin Trihydrate I.P  
Equivalent to Amoxicillin 125 mg.  
Clavulanic Acid 31.25 mg.  
(Present as Clavulanate Potassium USP)

### 35. SMITH'S OFLATIN-800

Each tablet contains  
Ofloxacin I.P 200 mg.  
Tinidazole I.P 600 mg.

### 34. ERITHROMYCIN – 500

Each uncoated tablet contains  
Erythromycin Estolate B.P  
Equivalent to Erythromycin B.P 500 mg.

### 35. CLOXACILLIN CAPSULES B.P

CLOXA  
Each capsule contains :  
Cloxacillin sodium B.P  
Equivalent to Cloxacillin 250 mg.

### 36. CEFALEXIN ORAL SUSPENSION B.P

CEPH-SUSPENSION (DRY-SYRUP)  
Each 5 ml Reconstituted suspension contains :  
Cephalexin B.P  
Equivalent to anhydrous Cephalexin 250 mg.  
Colour : Tartazine Supra FCF

## **11. ANTI-HISTEMIC**

### 01. DIETHYL CARBAMAZINE TABLETS B.P

DIACIT TABLETS  
Each uncoated tablet contains  
Diethyl Carbamazine Citrate B.P 100 mg.

### 02. DIETHYL CARBAMAZINE CITRATE & CPM TABLETS

DICARB  
Each film-coated tablet contains  
Diethyl Carbamazine Citrate B.P 250 mg.  
Chlorpheniramine Maleate B.P 5 mg.



## VITAMINS & NUTRITIONAL SUPPLEMENTS

### **01. FOLIC ACID & FERROUS SULPHATE TABLETS**

Each sugar-coated tablet contains: (for Therapeutic use)  
Dried Ferrous Sulphate I.P. 335 mg.  
Equivalent to 100 m g. Elemental Iron  
Folic Acid I.P. 0.5 mg

### **02. FOLIC ACID & FERROUS SULPHATE TABLETS**

Each sugar-coated tablet contains: (for Prophylactic use)  
Dried Ferrous Sulphate I.P. 100 mg.  
Folic Acid I.P. 0.1 mg

### **03. ASCORBIC ACID TABLETS I.P.**

Each Uncoated tablet contains:  
Ascorbic Acid I.P. 500 mg.

### **04. ASCORBIC ACID TABLETS I.P.**

Each Uncoated tablet contains:  
Ascorbic Acid I.P. 100 mg.

### **05. ASCORBIC ACID TABLETS I.P.**

Each Uncoated tablet contains:  
Ascorbic Acid I.P. 50 mg

### **06. FOLIC ACID TABLETS I.P.**

Each Uncoated tablet contains:  
Folic Acid I.P. 5 mg.

### **07. PYRIDOXINE TABLETS I.P.**

Each Uncoated tablet contains:  
Pyridoxine Hydrochloride I.P. 5 mg.

### **08. RIBOFLAVINE TABLETS I.P.**

Each Uncoated tablet contains:  
Riboflavine I.P. 2 mg

### **09. RIBOFLAVINE TABLETS I.P.**

Each Uncoated tablet contains:  
Riboflavine I.P. 5 mg.

### **10. THIAMINE HYDROCHLORIDE TABLETS I.P.**

Each Uncoated tablet contains :  
Thiamine Hydrochloride I.P. 5 mg.

### **11. THIAMINE HYDROCHLORIDE TABLETS I.P.**

Each Uncoated tablet contains:  
Thiamine Hydrochloride I.P. 10 mg.

### **12. THIAMINE HYDROCHLORIDE TABLETS I.P.**

Each Uncoated tablet contains:  
Thiamine Hydrochloride I.P. 50 mg.

### **13. CALCICAL B-12 TABLETS (Prophylactic use only)**

Each Uncoated tablet contains:

Calcium gluconate I.P. 500 mg.

Vitamin C I.P. 25 mg.

Vitamin D3 I.P. 100 I.U

Vitamin B12 I.P. 0.5 mcg.

#### 14. CALCICAL-B12 (for Therapeutic use)

Each 5 ml contains:

Calcium Gluconate I.P. 37.5 mg.

Calcium Locate I.P. 55 mg.

Cyanocobalamin I.P. 5mcg.

Vitamin D3 I.P. 200 I.U

Niacinamide I.P. 22.5 mg.

#### 15. VITAMIN 'C' DROPS

Each ml. Contains:

Ascorbic Acid (Vitamin C) I.P. 100 mg.

#### 16. SEBOLIN CAPSULES (for Therapeutic use)

Each Capsule Contains:

Thiamine Mononitrate I.P. 10 mg.

Riboflavine I.P. 10 mg.

Pyridoxine H y drochloride I.P. 3 mg.

Vitamin B12 I.P. 15 mg.

Niacinamide I.P. 50 mg.

Folic Acid I.P. 1 mg.

Lactic Acid Bacillus I.P. 1000 lacks.

#### 17. BEC-ZC (for Therapeutic use)

Each Capsule Contains:

Zinc Sulphate Monohydrate USP 61. 0 mg.

(equivalent to 22.5 mg. Of elemental zinc)

Thiamine Mononitrate I.P. 10 .0 mg.

Riboflavine I.P. 10.0 mg.

Niacinamide I.P. 45.0 mg.

Pyridoxine Hcl. I.P. 2.0 mg.

Cyanocobalamin I.P. 7.5 mcg.

Tocopheryl Acetate I.P. 20.0 mg.

Ascorbic Acid I.P. 150.0 mg.

#### 18. SEBOLIN SYRUP (for Therapeutic use)

Each 5 ml contains:

Thiamine Mononitrate I.P. 2.25 mg.

Riboflavine I.P. 2.5 mg.

Pyridoxine Hcl I.P. 0.75 mg.

Cynocobalamin I.P. 2.5 mcg.

D-Panthenol I.P. 2.5 mg.

Niacinamide I.P. 22.5 mg.

L-Glutamic Acid I.P. 20 mg.

#### 19. OSICAL-F SYRUP (for Therapeutic use)

Each 5 ml contains:

Ferrrous gluconate I.P. 100 mg.

Calcium Gluconate I.P. 53.5 mg.  
Vitamin D2 I.P. 200 I.U.  
Vitamin B12 I.P. 3.75 mcg.  
Folic Acid I.P. 0.75 mg.  
Niacinamide I.P. 22.5 mg.

**19. OSICAL-F SYRUP (for Prophylactic use)**

Each 5 ml contains:

Ferrrous Ammonium Citrate I.P.  
(equivalent to elemental Iron mg) 18 mg.  
Cynocobalamin I.P. 0.5 mcg.  
Folic Acid I.P. 1.5 mcg.

**20. HEAM-Z CAPSULES (for therapeutic use)**

Each Capsule Contains:

Ferrous Glycine Sulphate 282 mg.  
Zinc Sulphate Monohydrate USP 70 mg.  
Cyanocobalamin I.P. 15 mg.  
Folic Acid I.P. 1500 mcg.  
Vitamin C I.P. 100 mg.

**21. HEAM-Z (Syrup) (Therapeutic use)**

Each 5 ml contains:

Ferrous Glycine Sulphate 72.5 mg.  
Zinc Sulphate I.P. 30 mg.  
Folic Acid I.P. 500 mcg.  
Vitamin C I.P. 37.5 mg.  
Vitamin B12 I.P. 2.5 mcg.

**22. POLYVITAMIN TABLETS NFI (Prophylactic use)**

Each uncoated tablet contains:

Vitamin A I.P. 2500 IU  
Vitamin D3 I.P. 200 IU  
Thiamine Mononitrate I.P. 2 mg.  
Riboflavine I.P. 2 mg.  
Vitamin B6 I.P. 0.5 mg.  
Niacinamide I.P. 25 mg.  
Cal.Pantothenate I.P. 1 mg.  
Vitamin C I.P. 50 mg.  
Folic Acid I.P. 0.2 mg

**23. FREE-FR (for Therapeutic use)**

Each Capsule Contains:

Vitamin A (As Acetate) I.P. 5000 I.U.  
Vitamin C (As Corbic Acid) I.P. 75 mg.  
Vitamin E (As Di-Alphatocopheryl Acetate) I.P. 25 I.U.  
Zinc(As Zinc Oxide I.P.) I.P. 40 mg (Elemental)  
Selenium(Sodium Selenate) 40 mg(Elemental)  
Copper(Cupric Oxide) 2 mg (Elemental)

**24. SEBOLIN-FORTE CAPS(for Therapeutic use)**

Each capsule contains:

Vitamin B1 I.P 10mg  
(Thiamine Mononitrate)  
Vitamin B2 I.P 10 mg  
(RIBOFLAVINE)  
Vitamin B6 I.P 3 mg  
(PYRIDOXINE HCL)  
Niacinamide I.P. 45 mg

Zinc Sulphate I.P. 80 mg  
Glutamic Acid U.S.P. 100 mg  
Chromium as Chromic Chloride USB 150 mcg  
Sodium Selenite U.S.P. 100 mcg

**25. CON CART:**

Each pack contains: (INS- enclosed)  
Glucosamine Sulphate - 500 mg  
Vitamin E I.P. 8 mg  
Vitamin C I.P. 50 mg  
Chondroitin Sulphate Sodium 400 mg  
Magnase Sulphate I.P. 20 mg

**26. I.P.H. -III**

Each 5 ml Contains:  
(Iron (III) Hydroxide Polymaltose complex  
equivalent to elemental Iron 50 mg  
Folic Acid I.P. 500 mcg.  
In a flavoured syrup base  
Appropriate overages of vitamin

**27. CAL CIT**

Each tablet contains: (For Propylalactic use)  
Calcium Citrate U.S.P 1000mg  
Vitamin D3 I.P. 200 IU  
Magnesium Hydroxide I.P. 100 mg  
Zinc sulphate I.P. 4 mg

**28. SMITHCE TABLETS**

Each Uncoated tablet contains:  
Ascorbic Acid I.P. 200 mg  
Sodium Ascorbate I.P. 338 mg  
(equivalent to 300 mg. Of Ascorbic Acid)

**57. OSICAL-F CAPSULES (for Therapeutic use)**

Each Capsule contains:  
Cyanocobalamin I.P. 7.5 mcg.  
Ferrous Fumarate I.P. 350 mg.  
Folic Acid I.P. 1.5 mg  
Ascorbic Acid I.P. 150 mg.

**30. SEBOLIN DROPS(for Paediatric use)**

Each ml.contains:  
Vitamin A I.P. 800 I.U  
Vitamin D3 I.P. 200 I.U  
Vitamin B1 I.P. 0.5 mg.  
Vitamin B2 I.P. 0.7 mg.  
Vitamin B6 I.P. 7.5 mg.  
D-Panthenol I.P. 1.5 mg.  
Vitamin C I.P. 20 mg.

**31. MENO CAL**

Each capsule contains: (For Therapeutic use)

Vitamin A I.P. - 2500 I.U.

(as acetate)

Vitamin D3 I.P. - 100 I.U.

Alpha Tocopheryl

Acetate I.P. - 30 mg

Thiamine Mononitrate I.P. 10 mg

Riboflavine I.P. 5 mg

Pyridoxine

Hydrochloride I.P. 40 mg

Vitamin B12 (coated) eqvt.

To cyanocobalamin I.P. 9 mcg

Folic Acid I.P. 400 mcg

Niacinamide I.P. 20 mg

Calcium Pantothenate I.P. 30 mg

Biotin USP 30 mcg

Para Aminobenzoic acid

(P.A.B.A) B.P. 30 mg

Vitamin C I.P. 45 mg

Eqvt. To elemental Iron 60 mg

Zinc Sulphate 60 mg

Monohydrate U.S.P eqvt. to element Zinc 15 mg

Copper Sulphate U.S.P. eqvt. to elemental copper 1 mg

Manganese Sulphate U.S.P eqvt. to elemental manganese 2 mg

Magnesium Hydroxide I.P.

eqvt. to element magnesium 100 mg

Potassium Iodide I.P.

To elemental Iodine 225 mg

Chromium Trichloride U.SP. eqvt.

Elemental Chromium 50 mcg

Sodium Selenate eqvt. to elemental selenium 100 mcg

Sodium Borate B.P. 2 mg

(Equivalent to the elemental Boron)

Appropriate overages added.

### 32. CALCICAL-500

Each uncoated tablet contains :

Calcium Carbonat ( from an Organic Source) 1250 mg.

Equivalent to Elemental Calcium 500 mg.

Vitamin D3 I.P 25 IU

### 33. SMITH'S CONCENTRATE

ALVIT-A

Each capsule contains :

Thiamine Mononitrate I.P 10 mg,

Riboflavine I.P 10 mg.

Pyruidoxine Hcl I.P 3 mg.

Niacinamide I.P 45 mg.

Chromium as Chromic Chloride USP 150 mcg

Sodium Selenite USP 100 mcg

Approved colours used in the Shell

### 34. CALCIUM LACTATE TABLETS B.P

Each uncoated tablet contains

Calcium Lactate  
(In the form of Calcium Lactate Pent hydrate)

## **12. SEX ENHANCERS**

1. SILDENFIL CITRATE TABLETS 50 mg.  
SKGRA-50  
Each coated tablet contains :  
Sildenafil Citrate 50 mg.

2. SILDENFIL CITRATE TABLETS 100 mg.  
SKGRA-100  
Each coated tablet contains :  
Sildenafil Citrate 100 mg.

3.Libido Herbal product

4.Libido gold herbal

## **13. ANTICONVULSANTS**

01. SODIUM VALPROATE ENTERIC COATED TABLETS B.P  
SOVOL  
Each enteric coated tablet contains  
Sodium Valproate B.P 200 mg.  
Colour : Titanium dioxide B.P

### **ANTIMANIC**

01. CHLORPROMAZINE TABLETS B.P  
Each sugar coated tablet contains  
Chlorpromazine Hydrochloride B.P 300 mg.

## **14.T.B DRUG**

1. ETHAMBUTOL TABLETS B.P  
Each uncoated tablet contains  
Ethambutol Hydrochloride B.P 400 mg.

## **15.ANTI EMETIC**

01. DOMP SUSPENSION 100 ml.  
Each uncoated tablet contains  
Domperidone B.P 1 mg.  
Colour : Ponceau 4R

### **WHOGMP PRODUCTS ( WHERE ONLY WE CAN PROVIDE COPP)**

LIST OF WHOGMP PHARMACEUTICAL PRODUCTS ,where we can provide COPP.Other than these products come under GMP with certificate of anlysis.The specifications of all the poroducts are B.P / U.S.P

1. **IBUPROFEN TABLETS B.P - IBU-400**  
EACH FILM COATED TABLET CONTAINS;  
**IBUPROFEN B.P 400 mg**  
**COLOUR;ERYTHROSINE**
2. **IBUCETOL TABLETS**  
EACH UNCOATED TABLET CONTAINS;  
IBUPROFEN B.P 400 mg.  
PARACETAMOL B.P 325 mg
3. **PARACETAMOL TABLETS I.P**  
EACH UNCOATED TABLET CONTAINS;  
PARACETAMOL .AT B.P 500MG
4. **ENOLOL TABLETS B.P - ATENOL-100**  
EACH UNCOATED TABLET CONTAINS;  
ATENOLOL B.P 100 MG.
5. **GLIPIZIDE TABLETS B.P - GLYZIDE**  
EACH TABLET CONTAINS ;  
GLIPIZIDE B.P 5MG
6. **CIPROFLAXACIN TABKLETS B.P - KENCIPRO-250**  
  
EACH FILM COATED TABLET CONTAINS;  
CIPROFLAXACIN HYDROCHLORIDE B.P  
EQUALENT TO CIPROFLAXACIN I.P 250 MG  
COLOUR;TITANIUM DIOXIDE  
DOSAGE; AS DIRECTED BY THE PHYSICIAN
7. **CIPROFLAXACIN TABLETS B.P - KENCIPRO-500**  
EACH FILM COATED TABLET CONTAINS;  
CIPROFLAXACIN HYDROCHLORIDE B.P  
EQUALENT TO CIPROFLAXACIN B.P 500 MG  
COLOUR;TITANIUM DIOXIDE  
DOSAGE ; AS DIRECTED BY THE PHYSICIAN.
8. **ROXYTHROMYCIN TABLETS 150 MG. - ROXYKEN-150**  
EACH FILM COATED TABLET CONTAINS;  
ROXYTHROMYCIN B.P 150 MG.  
EXCIIPIENTS QS  
COLOUR; TITANIUM OXIDE.
9. **ROXYTHROMYCIN TABLETS 300 MG. - ROXYKEN-300 MG**

EACH FILM COATED TABLET CONTAINS;  
ROXYTHROMYCIN B.P 300 MG  
EXCEPIENTS QS  
COLOUR;TITANIUM OXIDE.

10. **CEFADROXIL TABLETS 500 MG- SK DROX-500 TABLETS**

EACH FILM COATED TABLET CONTAINS  
CEFADROXIL MONOHYDRATE  
EQUILANT TO ANHYDROUS CEFADROXYL U.S.P 500 MG  
COLOUR;TITANIUM DIOXIDE  
EXCIPIENTS QS

11. **SERRATIO PEPTIDASE TABLETS - SERADASE-10**

EACH ENTERIC COATED TABLET CONTAINS;  
SERRATIOPEPTIDASE  
(20,000 SERRATIOPEPTIDASE UNITS)  
COLOUR;TITANIUM DIOXIDE B.P

## **CAPSULES**

12. **INDOMETHACIN CAPSULES B.P**

EACH CAPSULE CONTAINS;  
INDOMETHACIN B.P 25 MG

13. **OMEPRAZOLE CAPSULES 20 MG - KENZOLE-20 MG**

EACH CAPSULE CONTAINS;  
OMEPRAZOLE B.P 20 MG.

14. **DOXYCYCLINE CAPSULE B.P**

EACH CAPSULE CONTAINS;  
DOXYCYCLINE HYDROCHLORIDE B.P  
EQUIVALENT TO DOXYCYCLINE 100 MG.

15. **DOXYCYCLINE CAPSULE B.P**

EACH CAPSULE CONTAINS;  
DOXYCYCLINE HYDROCHLORIDE B.P  
EQUIVALENT TO DOXYCYCLINE 200 MG.

16. **TETRACYCLINE CAPSULE B.P**

EACH CAPSULE CONTAINS;  
TETRACYCLINE HYDROCHLORIDE B.P 250 MG.

17. **RIFAMPICIN CAPSULES B.P**

EACH CAPSULE CONTAINS;  
RIFAMPICIN B.P 150 MG



**18. RIFAMPICIN CAPSULES B.P**

EACH CAPSULE CONTAINS;  
RIFAMPICIN B.P 300 MG

**19. FLUOXETINE U.S.P. 20 MG - KENZAC-20 MG**

EACH HARD GELATIN CAPSULE CONTAINS;  
FLUOXETINE(AS HYDROCHLORIDE) U.S.P 20 MG  
EXCIPIENTS QS.

**20. SEBOLIN-FORTE CAPSULES(THERAPEUTIC USE)**

EACH CAPSULE CONTAINS;  
VITAMIN B<sub>1</sub>(THIAMINE MONONITRATE) B.P 10 MG.  
VITAMIN B<sub>2</sub>(RIBOFLAVINE) B.P 10 MG.  
VITAMIN B<sub>6</sub>(PYRIDOXINE HCL) B.P 3 MG.  
NIACINAMIDE B.P 45 MG.  
ZINC SULPHATE B.P 80 MG.  
GLUTAMIC ACID U.S.P 100 MG.  
CHROMIUM(AS CHROMIC CHLORIDE) U.S.P 150 MCG.  
SODIUM SELENITE U.S.P 100MCG  
Dosage :ONE CAPSULE A DAY.

**21. PIROXICAM CAPSULES B.P**

EACH CAPSULE CONTAINS;  
PIROXICAM B.P 20 MG.

**22. LANUT-30**

EACH CAPSULE CONTAINS ;  
LANSOPRAZOLE 30 MG  
AS ENTERIC COATED GRANNULES)

## LIQUIDS

**23. KENNER'S EXPECTORANT 100 ML**

EACH 5ML CONTAINS;  
CHLOROPHENARAMINE MALEATE B.P 2.5 MG  
AMMONIUM CHLORIDE B.P 125 MG  
SODIUM CITRATE B.P 62.5 MG  
MENTHOL B.P 1.25 MG.  
CHLOROFORM SPIRIT B.P 0.3 ML

**24. ROXYTHROMYCIN SUSPENSION 60 ML - ROXYKEN**

EACH 5ML CONTAINS;  
ROXYTHROMYCIN B.P 50 MG.  
COLOUR;SUNSET YELLOW

**25. SODICIT 100 ML**

EACH 5 ML CONTAINS;

**SODIUM ACID CITRATE B.P 1.34 MG**  
(AS DISODIUM HYDROGEN CITRATE)  
COLOUR;TARTRAZINE YELLOW

- 26. CALCICAL-B12 SYRUP**  
(FOR THERAPEUTIC USE 200 ML)  
EACH 5 ML CONTAINS;  
CALCIUM GLUCONATE B.P 37.5 MG  
CALCIUM LACTATE B.P 55 MG  
CYANACOBALAMIN B.P 5 MCG  
VITAMIN D<sub>3</sub> B.P 200 I.U  
NIACINAMIDE B.P 22.5 MG DOSE; 5ML

## **CERTIFICATE OF PHARMACEUTICALS PRODUCTS**

- 27. ALUMINIUM HYDROXIDE AND MAGNESIUM TRISILICATE TABLETS B.P - ANCID**  
Each chewable tablet contains :  
Alluminium Hydroxide B.P 200 mg  
Magnesium Tri Silicate B.P 200 mg  
Colour: Tatrazine Supra FCF
- 28. SODIUM VALPROATE ENTERIC COATED TABLETS B.P - SOVOL**  
Each enteric coated tablet contains :  
Sodium Valproate B.P 200 mg  
Colour : Titanium Dioxide B.P
- 29. METFORMIN TABLETS B.P - METMIN**  
Each film coated tablet contains :  
Metformin Hydro Chloride B.P 500 mg  
Colour : Titanium Dioxide B.P
- 30. DICLOFENAC SODIUM TABLETS B.P - DICOFEN-FC**  
Each Enteric Coated tablet contains :  
Diclofenac Sodium B.P 50 mg  
Color: Sunset Yellow FCF
- 31. ASPIRN TABLETS B.P**  
Each Uncoated tablet contains  
Aspirn B.P 300 mg
- 32. IBUPROFEN TABLETS B.P**  
Each film coated tablet contains :  
Ibuprofen B.P 200 mg

Colour : Erythrosin

**33. DOXYCYCLINE CAPSULES B.P**

Each Capsule Contains :  
Doxycycline Hydrochloride B.P  
Equivalent to Doxycycline B.P 100 mg

**34. OMEPRAZOLE CAPSULES B.P - KENZOLE-20**

Each Capsule Contains :  
Omeprazole B.P 20 mg  
(enteric coated granules)  
approved colours used.

**35. PROMETHAZINE HYDROCHLORIDE ORAL solution B.P - PROM**

Each 5ml contains :  
Promethazine Hydrochloride B.P 5 mg  
Colour : Tatzazine Supra FCF

**36. MILK OF MAGNESIA B.P (100 ML.)  
SMITH & KENNER' s MILK OF MAGNESIA**

Each 5 ml contains  
Magnesium Hydroxide B.P 8.5% w/w

**37. CLOXACILLIN CAPSULES B.P - CLOXA**

Each Capsule contains :  
Cloxacillin Sodium B.P  
Equivalent to Cloxacillin 250 mg

**38. AMOXYCILLIN CAPSULES B.P**

Each Capsule contains :  
Amoxicillin Trihydrate B.P  
Equivalent to Amoxicillin 250 mg

**39. AMOXYCILLIN CAPSULES B.P**

Each Capsule contains :  
Amoxicillin Trihydrate B.P  
Equivalent to Amoxicillin 500 mg

**40. CEPHALEXIN CAPSULES B.P**

Each Capsule contains :  
Cephalexin (Anhydrous) B.P 250 mg

**41. CEPHALEXIN CAPSULES B.P**

Each Capsule contains :  
Cephalexin (Anhydrous) B.P 500 mg

**42. AMPICILLIN CAPSULES B.P**

Each Capsules contains :  
Ampicillin Trihydrate B.P  
Equivalent to Ampicillin 250 mg

**43. AMPICILLIN CAPSULES B.P**

Each Capsules contains :  
Ampicillin Trihydrate B.P

Equivalent to Ampicillin 500 mg

**44. AMOXYCILLIN ORAL SUSPENSION B.P - AMOXY-DRY**

Each 5ml Re-constituted Suspension Contains :

Amoxicillin Trihydrate B.P

Equivalent to Amoxicillin 125 mg

Colour : Sunset yellow FCF

**45. CEPHALEXIN ORAL SUSPENSION B.P**

**CEPH-SUSPENSION (DRY-SYRUP)**

Each 5ml Re-Constituted Suspension Contains :

Cephalexin anhydrous B.P 250 mg Colour: Tatrazine Supra 46. Perindopril Tablets

Each Uncoated Sacred Tablet Contains :

Perindopril 4 mg

Excipients q.s

**SCHEDULE 'H' DRUG**

**47. LEVOFLOXACIN TABLETS 500 MG**

The prescription of a Registered

Each Film Coated Tablet Contains :

Levofloxacin Hemihydrate

Equivalent to Levofloxacin 500 mg

Colours : Red Oxide of Iron,

Yellow Oxide of Iron & Titanium Dioxide

**48. KETORALAC TROMETHAMINE TABLETS USP**

Each Film Coated Tablet contains

Ketoralac Tromethamine USP 10 mg

Colour: Titanium Dioxide

**49. TRIMETAZIDINE DIHYDROCHLORIDE MODIFIED – RELEASE TABLETS**

Each Film Coated Modified-Release Tablet contains :

Trimetazidine Dihydrochloride 35 mg

Colours : Red Oxide of Iron & Titanium Dioxide.

**50. MELOXICAM TABLETS**

**STORE IN A COOL DRY PLACE.**

Each Uncoated Tablet contains

Meloxicam 7.5 mg

Excipients q.s.

**50. MELOXICAM TABLETS**

Each Uncoated Tablet contains :

Meloxicam 15 mg

Excipients q.s

Dosage: as directed by The physician

**51. LEVOFLOXACIN TABLETS 250 MG**

**Keep out of reach of children.**

Each Film Coated Tablet Contains :

Levofloxacin Hemihydrate

Equivalent to Levofloxacin 250 mg

Colours : Red Oxide of Iron, Yellow Oxide

of Iron & Titanium Dioxide

**53. TRIMETAZIDINE DIHYDROCHLORIDE TABLETS 20 MG**

Each Film Coated Contains  
Trimetazidine Dihydrochloride 20 mg  
Colours: Yellow Oxide of Iron

**54. METOPROLOL TARTRATE TABLETS 50 MG**

Each uncoated Tablet Contains :  
Metoprolol Tartrate 50 mg

**55. METOPROLOL TARTRATE TABLETS 100 MG**

Each uncoated Tablet Contains :  
Metoprolol Tartrate 100 mg  
Dosage : As directed by the physician.

## VETERINARY PRODUCTS

**01. Perindopril Tablets**

Each Uncoated Sacred Tablet Contains :  
Perindopril 4 mg

**02. Levofloxacin Tablets 500 Mg**

Each Film Coated Tablet Contains :  
Levofloxacin Hemihydrate  
Equivalent to Levofloxacin 500 mg  
Colors : Red Oxide of Iron,  
Yellow Oxide of Iron &  
Titanium Dioxide

**3. Ketoralac Tromethamine Tablets USP**

Each Film Coated Tablet contains  
Ketoralac Tromethamine USP 10 mg  
Colour: Titanium Dioxide

**4. Meloxicam Tablets**

Each Uncoated Tablet contains :  
Meloxicam 7.5 mg

**05. Meloxicam Tablets**

Each Uncoated Tablet contains :  
Meloxicam 15 mg

**06. Levofloxacin Tablets 250 Mg**

Each Film Coated Tablet Contains :  
Levofloxacin Hemihydrate  
Equivalent to Levofloxacin 250 mg  
Colors : Red Oxide of Iron, Yellow Oxide  
of Iron & Titanium Dioxide

**07. Trimetazidine Dihydrochloride Tablets 20 mg**

**Each Film Coated Contains :**

**Trimetazidine Dihydrochloride 20 mg  
Colors: Yellow Oxide of Iron**

**8. Metoprolol Tartrate Tablets 50 mg**

**Each Uncoated Tablet Contains :**

**Metoprolol Tartrate 50 mg**

**9. Metoprolol Tartrate Tablets 100 mg**

**Each Uncoated Tablet Contains :**

**Metoprolol Tartrate 100 mg**