

CUREGA+⁺E

INTERNATIONAL



PRODUCT LIST

"THE GATEWAY TO A HEALTHY NATION"

ALLOPATHIC PRODUCTS

1. ANTACIDS

1. TABLETS ANTACID

Each uncoated chewable tablet contains:

Aluminium Hydroxide I.P. 250 mg

Magnesium Hydroxide I.P. 250 mg

Methyl Poly Siloxiane 50 mg

2. Z-CID (100 ml)

Each 5ml contains:

Aluminium Hydroxide Gel I.P. 150 mg

Magnesium Trisilicate I.P. 6 2.5 mg

Sodium Alginate I.P. 100 mg

Simethicone . I.P. 12.5 mg

3. ALUMINIUM HYDROXIDE TABLETS I.P.

Each uncoated tablet contains:

Dried Aluminium Hydroxide Gel. I.P. 500 mg

4. MILK OF MAGNESIA I.P.(100 ml)

SMITH & KENNER'S MILK OF FMAGNESIA

Contains 8.5% w /w of

Magnesium Hydroxide I.P.

5. SMITH'S SK-GEL MPS

Each 5 ml contains :

Activated Demethicone I.P 50 mg.

Magnesium Hydroxide I.P 250 mg.

(Added as Magnesium Hydroxide paste)

Dried Aluminium Hydroxide I.P 250 mg.

(Added as Aluminium Hydroxide paste)

Colour : Erythrosine

6. ALUMINIUM HYDROXIDE AND MAGNESIUM TRISALICATE TABLETS B.P

ANCID

Each chewable tablet contains

Aluminium Hydroxide B.P 200 mg.

Magnesium Trisilicate B.P 200 mg.

Colour : Tatrazine Supra FCF

2. ANTI AMOEBIC & ANTI DIARRHOEALS

1. ANTIDA SUSPENSION

Each 5 ml contains:

Furazolidone I.P. 34 mg

Aluminium Hydroxide Gel I.P. 120 mg

Metronidazole Benzoate I.P.

Equivalent to Metronidazole I.P. 100 mg

. METAFUR TABLETS

Each Uncoated tablet contains:

Metronidazole I.P. 400 mg

Diloxanide Furoate I.P. 500 mg

3. METRONIDAZOLE TABLETS I.P.

MNZ-200 TABLETS

Each Uncoated tablet contains:

Metronidazole I.P. 200 mg

4. METRONIDAZOLE TABLETS I.P.

MNZ-400 TABLETS

Each Uncoated tablet contains:

Metronidazole I.P. 400 mg

9. LOPERAMIDE TABLETS USP (Not for paediatric use) LOPED TABLETS

Each uncoated tablet contains:

Loperamide Hcl USP 2 mg

6. MEBENDAZOLE TABLETS I.P.

MEBEN TABLETS

Each Uncoated tablet contains:

Mebendazole I.P. 100 mg

7. AMEBOID TABLETS

Each film coated tablet contains:

Norfloxacin I.P. 400 mg.

Tinidazole I.P. 600 mg.

8. AMEBOID SUSPENSION 30ML AMEOBICIDOL

Each 5 ml contains:

Metronidazole - 100 mg

Dilaxamide Furonate 125 mg

3. ANTI HYPERTENSIVE & ANTI ANGINAL DRUG

1. AMLO-2.5

Each Uncoated tablet contains:

Amlodipine Besylate

Equivalent to active

Amlodipine base 2.5 mg

1. AMLO-5

Each Uncoated tablet contains:

Amlodipine Besylate

equivalent to active

Amlodipine base 5 mg

3. AMLO-10

Each Uncoated tablet contains:

Amlodipine Besylate

Equivalent to active

Amlodipine base 10 mg

4. ATENOLOL TABLETS I.P.

ATENOL-25

Each Uncoated tablet contains:

Atenolol I.P. 25 mg

5. ATENOLOL TABLETS I.P.

ATENOL-50

Each Uncoated tablet contains:

Atenolol I.P. 50 mg

9. ATENOLOL TABLETS I.P.

ATENOL-100

Each Uncoated tablet contains:

Atenolol I.P. 100 mg

13. METHYL DOPA TABLETS I.P.

Each film coated tablet contains:

(a)Methyldopa(Anhydrous) I.P. 125 mg

Each film coated Tablets contains:

(b) Methyl Dopa(Anhydrous) I.P. 250 mg

Each coated tablet contains:

(c) Methyl Dopa (Anhydrous) I.P. 500 mg

8. DIAZEPAM TABLETS I.P.

Each Uncoated tablet contains:

Diazepam I.P. 2 mg

9. DIAZEPAM TABLETS I.P.

Each Uncoated tablet contains:

Diazepam I.P. 5 mg

10. DIAZEPAM TABLETS I.P.

Each Uncoated tablet contains:

Diazepam I.P. 10 mg

11. ALPRAZOLAM TABLETS I.P. 0.50 mg

Each uncoated tablet contains:

Alprazolam I.P. 0.50 mg

11.B. ALPRAZOLAM TABLETS I.P. 0.25 mg

Each uncoated tablet contains:

Alprazolam I P. 0.25 mg

12. ESPRIL

Each uncoated tablet contains:

Lisinopril (Dihydrate) USP

Equivalent to Lisinopril 2.5 mg

13. NORTIM

Each film coated tablet contains:

Nortriptyline Hydrochloride I.P.

Equalent to Nortriptyline 25 mg.

Excipients q.s.

14. SK.LOSARP-25

Each tablet contains

Losartan Potassium 25 mg.

15. SK.ATO-25

Each tablet contains :

Atorvastatin 10 mg.

(As Atorvastatin Calcium)

4. ANTI – TUSSIVE, EXPECTORANTS & ANTI ALLERGIC

1. SALBUTAMOL TABLETS I.P.

Each Uncoated tablet contains:

Salbutamol Sulphate I.P.

Equivalent to Salbutamol I.P. 2 mg

2. SALBUTAMOL TABLETS I.P.

Each Uncoated tablet contains:

Salbutamol Sulphate I.P.

Equivalent to Salbutamol I.P. 4 mg

3. SOFEL(60 ml)

Each 5 ml contains:

Salbutamol Sulphate I.P.

Equivalent to Salbutamol I.P. 1 mg

Guaphenesin I.P. 50 mg

4. SALBUTAMOL SYRUP I.P.(60 ml)

SOLOMOL

Each 5 ml contains:

Salbutamol Sulphate I.P.

Equivalent to Salbutamol I.P. 2 mg.

5. THEOPHYL (60 ml)

Each 5 ml contains:

Choline Theophyllinate B.P. 125 mg

(Equivalent to 80 mg of Theophylline)

6. CHLOR PHENIRAMINE MALEATE TABLETS I.P.

Each Uncoated tablet contains:

Chlorpheniramine Maleate I.P. 4 mg

7. CHLOR PHENIRAMINE MALEATE TABLETS I.P.

Each Uncoated tablet contains:

Chlorpheniramine Maleate I.P. 8 mg

8. THEOTOF TABLETS

Each Uncoated tablet contains:

Etofylline I.P. 77 mg

Theophylline(Anhydrous) I.P. 23 mg

9. 5A SYRUP (60 ml)

Each 5 ml contains:

Paracetamol I.P. 125 mg

Phenylpropanolamine Hcl B.P. 5 mg

Chlorpheniramine Maleate I.P. 2 mg

Sodium Citrate I.P. 60 mg

Ammonium Chloride I.P. 120 mg

Menthol I.P. I.P. 1 mg

Chloroform Spirit I.P. 1 mg

10. KENNERS EXPECTORANT(100 ml)

Each 5 ml contains:

Chlorpheniramine Maleate I.P. 2.5 mg

Ammonium Chloride I.P. 125 mg

Sodium Citrate I.P. 62.5 mg

Diphen Hydramine

hydrochloride I.P. 14 mg

Menthol I.P. 1.25

11. KENTAL SYRUP (60 ml)

Each 5 ml contains:

Chlorpheniramine Maleate I.P. 2.5 mg

12. SBG-PLUS (100 ml)

Each 5 ml contains:

Salbutamol Sulphate I.P.

Equivalent to Salbutamol I.P. 1 mg

Bromhexine Hcl. I.P. 2 mg

Guaiphenesin I.P. 50 mg.

Menthol I.P. 0.5 mg

13. 5A TABLETS

Each uncoated tablet contains:

Paracetamol I.P. 500 mg.

Chlorpheniramine Maleate I.P. 4 mg.

Phenylpropranolamine Hcl. B.P. 10 mg

Caffeine (Anhydrous) I.P. 30 mg.

14. ZERO COLD

Each uncoated tablet contains:

Phenylpropranolamine Hcl. B.P. 10 mg.

Paracetamol I.P. 500 mg.

Chlorpheniramine Maleate I.P. 2 mg.

15. HYDRODEX 60 ML Cough syrup Antitussive

Decongestant

Each 5 ml contains:

Phenylpropanolamine

Hydrochloride U.S.P 125 mg

Dextromethorphan

Hydrobromide I.P. 10 mg

Deliciously flavoured

Nonalcoholic

Indications:

Cough Of Various Aetiologies

16. KENTIZ

Each film coated tablet contains:

Cetirizine Dihydrochloride 10 mg

17 CETRIZINE & PSEUDOEPHEDRINE

PEH-C

Each uncoated tablet contains

Pseudoephedrine Hydrochloride I.P 60 mg.

Cetirizine Hydrochloride B.P 5 mg.

18 PROMETHAZINE ORAL SOLUTION B.P

PROM

Each 5 ml contains :

Promethazine Hydrochloride B.P 5 mg.

Colour : Tatzazine Supra FCF

19. COFCODIN (50 ml, 100 ml, 400 ml)

Each 5 ml contains :

Chlorpheniramine Maleate I.P 4 mg.

Codeine Phosphate I.P 10 mg.

20. PSEUDOEPHEDRINE HYDROCHLORIDE I.P

PEH TABLETS

Each uncoated tablet contains :

Pseudoephedrine Hydrochloride I.P 60 mg.

21. PSEUDOEPHEDRINE HYDROCHLORIDE I.P

PEH SYRUP

Each 5 ml contains :

Pseudoephedrine Hydrochloride I.P 30 mg.

22. SMITH'S DRIL EXPECTORANT

Each 5 ml contains

Diphehydromine Hydrochloride I.P 14.08 mg.

Ammonium Chloride I.P 138 mg.

Sodium Citrate I.P 57.03 mg.

Menthol I.P 1.14 mg.

Colours : Carmoisine, sunset yellow FCF, Erythrosine, Careamel I.P

23. SMITH'S SK-RIL

Each 5 ml contains

Terbutane sulphate I.P 1.25 mg.

Bromhexine Hydrochloride I.P 2 mg.

Guaiphenesin I.P 50 mg.

Menthol I.P 0.5 mg.

Flavoured syrup base q.s

Colour : Sunset Yellow FCF

24. SMITH'S KENKODIN

Each 5 ml contains :

Dextromethorphan Hydrobromide I.P 10 mg.

Chlorpheniramine Maleate I.P 4 mg.

Phenyl Propanolamine Hydrochloride USP 25 mg.

Colour : Sunset Yellow

25. SMITH'S ACTION 5000+

Each uncoated tablet contains

Paracetamol I.P 500 mg.

Phenyl Propanalamine Hydrochloride B.P 10 mg.

Caffeine (Anhydrous) I.P 30 mg.

26. UMBRELLA

Each uncoated tablet contains

Chlorphenaramine Maleate I.P 2 mg.

Phenylephrine Hcl B.P 5 mg.

Caffeine (Anhydrous) I.P 15 mg.

Paracetamol I.P 500 mg.

27. UMBRELLA SUSPENSION

Each 5 ml contains

Chlorphenaramine Maleate I.P 2 mg.

Phenylephrine Hcl B.P 5 mg.

Caffeine (Anhydrous) I.P 15 mg.

Paracetamol I.P 500 mg.

28. PHEDRINE TABLETS B.P

Each uncoated tablet contains

Ephedrine Hydrochloride B.P 15 mg.

29. Sardan

Each uncoated tablet contains :

Caffin (Anhydrous) B.P 30 mg.

Paracetamol B.P 320 mg.

Chlorpheniramine Meleate 4 mg.

30. CITRIZINE TABLETS

Kentiz

Each film coated tablet contains

Cetirizine Dihydrochloride B.P 10 mg.

Colour : Titanium Dioxide

5. ANTI DIABETIC

1. GLYZIDE

Each tablet contains:

Glipizide B.P. 5 mg

2. SMITHGLI

Each tablet contains:

Glibenclamide I.P. 5mg

3. METFORMIN TABLETS B.P

METMIN

Each film coated tablet contains :

Metformin Hydrochloride B.P 500 mg.

Colour : Titanium Dioxide B.P

6. ANIT EMETICS & ANTI NAUSEANTS

1. DOMIDE TABLETS

Each enteric coated tablets contains:

Doxylomine Succinate USP 10 mg

Pyridoxine Hcl. I.P. 10 mg

7. ALIMENTARY SYSTEM

1. GRIPOSTAT TABLETS

Each Uncoated tablet contains:

Di-Cyclomine Hcl I.P. 20 mg

Paracetamol I.P. 500 mg

2. SKZYME (200 ml)

Each 10 ml. (after dissolving the tablet) contains:

Amylase (Fungal Diastase 1:800 from)

Aspergillus Oryza) I.P. 62.5 mg.

Pepsin I.P. 20 mg.

3. SKZYME CAPSULES

Each capsule contains:

Fungal Diastase (1:1200) I.P. 50 mg.

Pepsin (1:3000) I.P. 10 mg.

4. KENZOLE 20 MG

Each capsule contains:

omeprazole I.P. 20 mg

(as enteric coated granules)

5. SERRATIOPEPTIDASE TABLETS SERADASE – 5

Each enteric film coated tablet contains:

Serratiopeptidas 5 mg

(10,000 Serratiopeptidase Units)

6. SERRATIOPEPTIDASE TABLETS SERADASE – 10

Each enteric film coated tablet contains:

Serratiopeptidas 10 mg

(20,000 Serratiopeptidase Units)

8. ANTI MALARIAL

1. CLP-1000

Each film coated tablet contains

chloroquine phosphate I.P. 1000mg

2. CLP-500

Each film coated tablet contains
chloroquine phosphate I.P. 500mg

3. CHLOROQUINE PHOSPHATE TABLETS I.P.

Each Uncoated tablet contains:
Chloroquine Phosphate I.P. 250 mg

4. PRIMAQUIN TABLETS I.P.

Each Uncoated tablet contains:
Primaquine Phosphate I.P.
Equivalent to Primaquine 2.5 mg

5. ANTIMAL (60 ml)

Each 5 ml contains:
Chloroquine Phosphate I.P. 80 mg
(Equivalent to 50mg. Of Chloroquine base)

9. ANALGESIC, ANTI PYRETIC & ANTI INFLAMMATORY DRUGS

1. SYRUP PARACETAMOL I.P. (For Paediatric Use)

Each 5 ml contains:

Paracetmol I.P. 125mg

2. PARACETAMOL TABLETS I.P.

Each Uncoated tablet contains:

Paracetmol I.P. 500 mg

3. PARACETAMOL TABLETS I.P.

Each Uncoated tablet contains:

Paracetmol I.P. 300 mg

4. IBUPROFEN TABLETS I.P.

Each film coated tablet contains:

Ibuprofen I.P. 200 mg

5. ANALGIN T ABLETS I.P.

Each Uncoated tablet contains:

Analgin I.P. 500 mg

6. IBUMETH TABLETS

Each Uncoated tablet contains:

Ibuprofen I.P. 400 mg

Paracetamol I.P. 325 mg

DL Methionine USP 32.5 mg

7. IBUMETH KID TABLETS

Each Uncoated tablet contains:

Ibuprofen I.P. 100 mg

Paracetamol I.P. 125 mg

Racemethionine USP 10 mg

8. AMNOCIN KID TABLETS

Each Uncoated tablet contains:

Paracetamol I.P. 250 mg

Racemethionine USP 25 mg

9. PARADIC

Each Uncoated tablet contains:

Diclofenac Sodium I.P. 50 mg

Paracetamol I.P. 500 mg

10. DICOFEN

Each enteric coated tablet contains:

Diclofenac Sodium I.P. 50 mg

11. IBUPROFEN TABLETS I.P.

IBU-400

Each Film-coated tablet contains:

Ibuprofen I.P. 400 mg

12. IBU-JUNE (60 ml)

Each 5 ml contains:

Ibuprofen I.P. 100 mg

13. IBUCETOL TABLETS

Each Uncoated tablet contains:

Ibuprofen I.P. 400 mg.

Paracetamol I.P. 325 mg

14. IBUPROFEN TABLETS I.P.

Each sugar-coated tablet contains:

Ibuprofen I.P. 400 mg

15. ASPIRN TABLETS I.P.

Each Uncoated tablet contains:

Aspirin I.P. 300 mg.

16. AMNOCIN-125 (for Pediatric use)

Each Uncoated tablet contains:

Paracetamol I.P. 125 mg

Racemethionine USP 12.5 mg

17. IBUMETH SUSPENSION (For Pediatric Use)

Each 5 ml contains:

Ibuprofen I.P. 100 mg

Paracetamol I.P. 125 mg

Syrup base G.S.

18. TIME-20 TABLETS

Each uncoated tablet contains:

Nimesulide 100 mg

19. TIME-20 SUSPENSION 60 ML

Each 5ml contains

Nimesulide 50 mg

20. AMNOCIN TABLETS

Each Uncoated tablet contains:

Paracetamol I.P. 500 mg

DL Methionine USP 50 mg

21. AMNOCIN DROPS

Each 2 ml contains:

Paracetamol I.P. 150 mg

Racemethionine. USP 15 mg

22. AMNOCIN-4 PLUS(60 ml)

Each 5 ml contains:

Paracetamol I.P. 240 mg

DL Methionine USP 24 mg

23. AMNOCIN SUSP

Each 5 ml contains:

Paracetamol I.P. 125 mg

Racemethionine USP 12.5 mg

24 KENZAC 20 MG

Each hard gelatin capsule contains:

fluoxetine U.S.P 20 mg

(as hydrochloride)

Excipients q.s.

25. METOMOL TABLETS

Each uncoated tablet contains:

Paracetamol I.P. 500 mg

Metoclopramide Hcl. I .P.

Equivalent to Anhydrous

Metoclopramide Hcl. 5 mg

26. INDOMETHACIN CAPSULES I.P.

Each Capsule contains:

Indomethacin I.P. 25mg

27. SARIPAIN

Each uncoated tablet contains :

Chlorpheniramine Maleate I.P 4 mg.

Paracetamol I.P 320 mg

Caffine (anhydrous) 30 mg.

28. MUSK

Each uncoated tablet contains :

Chlorzoxazone USP 250 mg.

Diclofenac Sodium B.P 50 mg.

Paracetamol B.P 500 mg.

29. PIROXICAM CAPSULES B.P

Each capsule contains

Piroxicam B.P 20 mg.

30. SARIPAIN

Each uncoated tablet contains :

Chlorpheniramine Maleate I.P 4 mg.

Paracetamol I.P 320 mg

Caffine (anhydrous) 30 mg.

31. INTECAT (60 ml)

Each 5 ml contains :

Metoclopramide Hydrochloride USP

Equivalent to Anhydrous Metoclopramide 5 mg.

10. ANTI BIOTICs

1. AMOXYCILLIN CA PSULES I.P.

Each capsule contains:

Amoxicillin Trihydrate I.P.

Equivalent to Amoxicillin 250 mg.

2. AMOXYCILLIN CAPSULES I.P.

Each capsule contains:

Amoxicillin Trihydrate I.P. 500 mg.

3. AMPICILLIN CAPSULES I.P.

Each Capsule Contains:

Ampicillin Trihydrate I.P.

Equivalent to Ampicillin I.P. 250 mg.

4. AMPICILLIN CAPSULES I.P.

Each capsule contains:

Ampicillin Trihydrate I.P.

Equivalent to Ampicillin I.P. 500 mg.

5. CEPHAEXIN CAPSULES I.P.

Each Capsule Contains:

Cephalexin I.P. (Anhydrous) 250 mg.

6. CEPHAEXIN CAPSULES I.P.

Each Capsule Contains:

Cephalexin I.P. (Anhydrous) 500 mg.

7. CHLORAMPHENICOL CAPSULES I.P.

Each Capsule Contains:

Chloramphenicol I.P. 250 mg.

8. CHLORAMPHENICOL CAPSULES I.P.

Each Capsule Contains:

Chloramphenicol I.P. 500 mg.

9. DOXYCYCLINE CAPSULES I.P.

Each Capsule Contains:

Doxycycline Hydrochloride I.P.

Equivalent to Doxycycline 100 mg.

10. DOXYCYCLINE CAPSULES I.P.

Each Capsule Contains:

Doxycycline Hydrochloride I.P.

Equivalent to Doxycycline 200 mg.

11. TETRACYCLINE CAPSULES I.P.

Each Capsule Contains:

Tetracycline Hydrochloride I.P. 250 mg.

12. RESIBAN

Each Capsule Contains:

Ampicillin I.P. 250 mg.

(As Ampicillin Trihydrate I.P.)

Cloxacillin 250 mg.

(As Cloxacillin Sodium I.P.)

13. CLOXACILLIN CAPSULES I.P.

Each Capsule Contains:

Cloxacillin Sodium I.P.

Equivalent to Cloxacillin 250 mg.

14. RIFAMPICIN CAPSULES I.P.

Each Capsule Contains:

Rifampicin I.P. 150 mg.

15. RIFAMPICIN CAPSULES I.P.

Each Capsule Contains:

Rifampicin I.P. 300 mg.

16. AMOXYCILLIN DISPERSIBLE TABLETS I.P.

AMO KID

Each uncoated dispersible tablet contains:

Amoxicillin Trihydrate I.P.

Equivalent to Amoxicillin 125 mg.

17. AMOXYCILLIN DISPERSIBLE TABLETS I.P.

AMO KID FORTE

Each uncoated dispersible tablet contains:

Amoxicillin trihydrate I.P.

Equivalent to Amoxicillin 250 mg.

18. AMOXYCILLIN DISPERSIBLE TABLETS I.P.

AMO FORTE

Each uncoated tablet contains:

Amoxicillin Trihydrate I.P.

Equivalent to Amoxicillin 500 mg.

19. AMOXYCILLIN ORAL SUSPENSION B.P AMOXY – DRY

Each 5 ml reconstituted suspension contains

Amoxicillin Trihydrate B.P

Equivalent to Amoxicillin 125 mg.

20. ROXYKEN SUSPENSION(Roxithromycin Suspension) 60 ml

Each 5 ml contains

Roxithromycin B.P 50mg.

21. ROXYKEN -150 MG

Each film coated tablet contains

Roxithromycin B.P. 150 mg.

Excipients q.s.

22. ROXYKEN -300 MG

Each film coated tablet contains

Roxithromycin B.P. 300 mg.

Excipients q.s.

23. COTRIMOXAZOLE TABLETS I .P.

NEOTRIM FORTE TABLETS

Each Uncoated tablet contains:

Trimethoprim I.P. 160 mg

Sulphamethoxazole I.P. 800 mg

24. COTRIMOXAZOLE TABLETS I.P.

NEOTRIM-KID TABLETS

Each Uncoated tablet contains:

Trimethoprim I.P. 40 mg

Sulphamethoxazole I.P. 200 mg

25. COTRIMOXAZOLE ORAL SUSPENSION I.P.

NEOTRIM (60 ml)

Each 5 ml contains:

Trimethoprim I.P. 40 mg.

Sulphamethoxazole I.P. 200 mg

26. CIPROFLOXACIN TABLETS I.P.

KENCIPRO – 250

Each film-coated tablet contains:

Ciprofloxacin Hydrochloride I.P.

Equivalent to Ciprofloxacin I.P. 250 mg

27. CIPROFLOXACIN TABLETS I.P.

KENCIPRO – 500

Each film-coated tablet contains:

Ciprofloxacin Hydrochloride I.P.

Equivalent to Ciprofloxacin I.P. 500 mg

28. GRIS SUSPENSION

Each 5 ml: (one teaspoonful) contains:

125 mg Griseofulvin microsize in
palatable suspension, Colored orange.

Also contains alcohol 0.2%.

29. CEFADROXIL TABLETS 500 Mg

SKDROX –500

Each un-coated tablet contains:

Cefadroxil Monohydrate I.P.

Equivalent to Anhydrous Cefadroxil 500 mg.

30. CEFADROXIL DISPERSIBLE TABLETS I.P. 250 mg

SKDROX –250

Each un-coated dispersible tablet contains:

Cefadroxil Monohydrate I.P.

equivalent to Anhydrous Cefadroxil 250 mg.

Excipients : q.s.

31. ETHAMBUTOL TABLETS I.P.

Each Uncoated tablet contains:

Ethambutol Hydrochloride I.P. 400 mg

32. SULPHADIMIDINE TABLETS I.P.

Each Uncoated tablet contains:

Sulphadimidine I.P. 500 mg

33. CLAVOMOX TAB

Each tablet contains :

Amoxicillin Trihydrate I.P

Equivalent to Amoxicillin 250 mg.

Clavulanic Acid 125 mg.

(Present as Clavulanate Potassium USP)

34. CLAVOMOX DRY SYRUP

Each 5 ml contains :

Amoxicillin Trihydrate I.P

Equivalent to Amoxicillin 125 mg.

Clavulanic Acid 31.25 mg.

(Present as Clavulanate Potassium USP)

35. SMITH'S OFLATIN-800

Each tablet contains

Oflaxacin I.P 200 mg.

Tinidazole I.P 600 mg.

34. ERITHROMYCIN – 500

Each uncoated tablet contains

Erythromycin Estolate B.P

Equivalent to Erythromycin B.P 500 mg.

35. CLOXACILLIN CAPSULES B.P CLOXA

Each capsule contains :

Cloxacillin sodium B.P

Equivalent to Cloxacillin 250 mg.

36. CEFALEXIN ORAL SUSPENSION B.P CEPH-SUSPENSION (DRY-SYRUP)

Each 5 ml Reconstituted suspension contains :

Cephalexin B.P

Equivalent to anhydrous Cephalexin 250 mg.

Colour : Tartazine Supra FCF

11. ANTI-HISTEMIC

01. DIETHYL CARBAMAZINE TABLETS B.P

DIACIT TABLETS

Each uncoated tablet contains

Diethyl Carbamazine Citrate B.P 100 mg.

02. DIETHYL CARBAMAZINE CITRATE & CPM TABLETS

DICARB

Each film-coated tablet contains

Diethyl Carbamazine Citrate B.P 250 mg.

Chlorpheniramine Maleate B.P 5 mg.

VITAMINS & NUTRITIONAL SUPPLEMENTS

01. FOLIC ACID & FERROUS SULPHATE TABLETS

Each sugar-coated tablet contains: (for Therapeutic use)

Dried Ferrous Sulphate I.P. 335 mg.

Equivalent to 100 m g. Elemental Iron

Folic Acid I.P. 0.5 mg

02. FOLIC ACID & FERROUS SULPHATE TABLETS

Each sugar-coated tablet contains: (for Prophylactic use)

Dried Ferrous Sulphate I.P. 100 mg.

Folic Acid I.P. 0.1 mg

03. ASCORBIC ACID TABLETS I.P.

Each Uncoated tablet contains:

Ascorbic Acid I.P. 500 mg.

04. ASCORBIC ACID TABLETS I.P.

Each Uncoated tablet contains:

Ascorbic Acid I.P. 100 mg.

05. ASCORBIC ACID TABLETS I.P.

Each Uncoated tablet contains:

Ascorbic Acid I.P. 50 mg

06. FOLIC ACID TABLETS I.P.

Each Uncoated tablet contains:

Folic Acid I.P. 5 mg.

07. PYRIDOXINE TABLETS I.P.

Each Uncoated tablet contains:

Pyridoxine Hydrochloride I.P. 5 mg.

08. RIBOFLAVINE TABLETS I.P.

Each Uncoated tablet contains:

Riboflavine I.P. 2 mg

09. RIBOFLAVINE TABLETS I.P.

Each Uncoated tablet contains:

Riboflavine I.P. 5 mg.

10. THIAMINE HYDROCHLORIDE TABLETS I.P.

Each Uncoated tablet contains :

Thiamine Hydrochloride I.P. 5 mg.

11. THIAMINE HYDROCHLORIDE TABLETS I.P.

Each Uncoated tablet contains:

Thiamine Hydrochloride I.P. 10 mg.

12. THIAMINE HYDROCHLORIDE TABLETS I.P.

Each Uncoated tablet contains:

Thiamine Hydrochloride I.P. 50 mg.

13. CALCICAL B-12 TABLETS (Prophylactic use only)

Each Uncoated tablet contains:

Calcium gluconate I.P. 500 mg.

Vitamin C I.P. 25 mg.

Vitamin D3 I.P. 100 I.U

Vitamin B12 I.P. 0.5 mcg.

14. CALCICAL-B12 (for Therapeutic use)

Each 5 ml contains:

Calcium Gluconate I.P. 37.5 mg.

Calcium Locate I.P. 55 mg.

Cyanocobalamin I.P. 5mcg.

Vitamin D3 I.P. 200 I.U

Niacinamide I.P. 22.5 mg.

15. VITAMIN 'C' DROPS

Each ml. Contains:

Ascorbic Acid (Vitamin C) I.P. 100 mg.

16. SEBOLIN CAPSULES (for Therapeutic use)

Each Capsule Contains:

- Thiamine Mononitrate I.P. 10 mg.
- Riboflavine I.P. 10 mg.
- Pyridoxine Hydrochloride I.P. 3 mg.
- Vitamin B12 I.P. 15 mg.
- Niacinamide I.P. 50 mg.

Folic Acid I.P. 1 mg.

Lactic Acid Bacillus I.P. 1000 lacks.

17. BEC-ZC (for Therapeutic use)

Each Capsule Contains:

Zinc Sulphate Monohydrate USP 61.0 mg.
(equivalent to 22.5 mg. Of elemental zinc)

Thiamine Mononitrate I.P. 10.0 mg.

Riboflavine I.P. 10.0 mg.

Niacinamide I.P. 45.0 mg.

Pyridoxine Hcl. I.P. 2.0 mg.

Cyanocobalamin I.P. 7.5 mcg.

Tocopheryl Acetate I.P. 20.0 mg.

Ascorbic Acid I.P. 150.0 mg.

18. SEBOLIN SYRUP (for Therapeutic use)

Each 5 ml contains:

Thiamine Mononitrate I.P. 2.25 mg.

Riboflavine I.P. 2.5 mg.

Pyridoxine Hcl I.P. 0.75 mg.

Cyanocobalamin I.P. 2.5 mcg.

D-Panthenol I.P. 2.5 mg.

Niacinamide I.P. 22.5 mg.

L-Glutamic Acid I.P. 20 mg.

19. OSICAL-F SYRUP (for Therapeutic use)

Each 5 ml contains:

Ferrrous gluconate I.P. 100 mg.

Calcium Gluconate I.P. 53.5 mg.

Vitamin D2 I.P. 200 I.U

Vitamin B12 I.P. 3.75 mcg.

Folic Acid I.P. 0.75 mg.

Niacinamide I.P. 22.5 mg.

19. OSICAL-F SYRUP (for Prophylactic use)

Each 5 ml contains:

Ferrrous Ammonium Citrate I.P.

(equivalent to elemental Iron mg) 18 mg.

Cynocobalamin I.P. 0.5 mcg.

Folic Acid I.P. 1.5 mcg.

20. HEAM-Z CAPSULES (for therapeutic use)

Each Capsule Contains:

Ferrous Glycine Sulphate 282 mg.

Zinc Sulphate Monohydrate USP 70 mg.

Cyanocobalamin I.P. 15 mg.

Folic Acid I.P. 1500 mcg.

Vitamin C I.P. 100 mg.

21. HEAM-Z (Syrup) (Therapeutic use)

Each 5 ml contains:

Ferrous Glycine Sulphate 72.5 mg.

Zinc Sulphate I.P. 30 mg.

Folic Acid I.P. 500 mcg.

Vitamin C I.P. 37.5 mg.

Vitamin B12 I.P. 2.5 mcg.

22. POLYVITAMIN TABLETS NFI (Prophylactic use)

Each uncoated tablet contains:

Vitamin A I.P. 2500 IU

Vitamin D3 I.P. 200 IU

Thiamine Mononitrate I.P. 2 mg.

Riboflavine I.P. 2 mg.

Vitamin B6 I.P. 0.5 mg.

Niacinamide I.P. 25 mg.

Cal.Pantothenate I.P. 1 mg.

Vitamin C I.P. 50 mg.

Folic Acid I.P. 0.2 mg

23. FREE-FR (for Therapeutic use)

Each Capsule Contains:

Vitamin A (As Acetate) I.P. 5000 I.U.

Vitamin C (As Corbic Acid) I.P. 75 mg.

Vitamin E (As Di-Alpha-tocopheryl Acetate) I.P. 25 I.U.

Zinc(As Zinc Oxide I.P.) I.P. 40 mg (Elemental)

Selenium(Sodium Selenate) 40 mg(Elemental)

Copper(Cupric Oxide) 2 mg (Elemental)

24. SEBOLIN-FORTE CAPS (for Therapeutic use)

Each capsule contains:

Vitamin B1 I.P 10mg

(Thiamine Mononitrate)

Vitamin B2 I.P 10 mg

(RIBOFLAVINE)

Vitamin B6 I.P 3 mg

(PYRIDOXINE HCL)

Niacinamide I.P. 45 mg

Zinc Sulphate I.P. 80 mg

Glutamic Acid U.S.P. 100 mg

Chromium as Chromic Chloride USB 150 mcg

Sodium Selenite U.S.P. 100 mcg

25. CON CART:

Each pack contains: (INS- enclosed)

Glucosamine Sulphate - 500 mg

Vitamin E I.P. 8 mg

Vitamin C I.P. 50 mg

Chondroitin Sulphate Sodium 400 mg

Magnase Sulphate I.P. 20 mg

26. I.P.H. -III

Each 5 ml Contains:

(Iron (III) Hydroxide Polymaltose complex

equivalent to elemental Iron 50 mg

Folic Acid I.P. 500 mcg.

In a flavoured syrup base

Appropriate overages of vitamin

27. CAL CIT

Each tablet contains: (For Propylalactic use)

Calcium Citrate U.S.P 1000mg

Vitamin D3 I.P. 200 IU

Magnesium Hydroxide I.P. 100 mg

Zinc sulphate I.P. 4 mg

28. SMITHCE TABLETS

Each Uncoated tablet contains:

Ascorbic Acid I.P. 200 mg

Sodium Ascorbate I.P. 338 m (equivalent to 300 mg. Of Ascorbic Acid)

57. OSICAL-F CAPSULES (for Therapeutic use)

Each Capsule contains:

Cyanocobalamin I.P. 7.5 mcg.

Ferrous Fumarate I.P. 350 mg.

Folic Acid I.P. 1.5 mg

Ascorbic Acid I.P. 150 mg.

30. SEBOLIN DROPS(for Paediatric use)

Each ml.contains:

Vitamin A I.P. 800 I.U

Vitamin D3 I.P. 200 I.U

Vitamin B1 I.P. 0.5 mg.

Vitamin B2 I.P. 0.7 mg.

Vitamin B6 I.P. 7.5 mg.

D-Panthenol I.P. 1.5 mg.

Vitamin C I.P. 20 mg.

31. MENOCAI

Each capsule contains: (For Therapeutic use)

Vitamin A I.P. - 2500 I.U.

(as acetate)

Vitamin D3 I.P. - 100 I.U.

Alpha Tocopheryl

Acetate I.P. - 30 mg

Thiamine Mononitrate I.P. 10 mg

Riboflavine I.P. 5 mg

Pyridoxine

Hydrochloride I.P. 40 mg

Vitamin B12 (coated) eqvt.

To cyanocobalamin I.P. 9 mcg

Folic Acid I.P. 400 mcg

Niacinamide I.P. 20 mg

Calcium Pantothenate I.P. 30 mg

Biotin USP 30 mcg

Para Aminobenzoic acid

(P.A.B.A) B.P. 30 mg

Vitamin C I.P. 45 mg

Eqvt. To elemental Iron 60 mg

Zinc Sulphate 60 mg

Monohydrate U.S.P eqvt. to element Zinc 15 mg

Copper Sulphate U.S.P. eqvt. to elemental copper 1 mg

Manganese Sulphate U.S.P eqvt. to elemental manganese 2 mg

Magnesium Hydroxide I.P.

eqvt. to element magnesium 100 mg

Potassium Iodide I.P.

To elemental Iodine 225 mg

Chromium Trichloride U.SP. eqvt.

Elemental Chromium 50 mcg

Sodium Selenate eqvt. to elemental selenium 100 mcg

Sodium Borate B.P. 2 mg

(Equivalent to the elemental Boron)

Appropriate overages added.

32. CALCICAL-500

Each uncoated tablet contains :

Calcium Carbonat (from an Organic Source) 1250 mg.

Equivalent to Elemental Calcium 500 mg.

Vitamin D3 I.P 25 IU

33. SMITH'S CONCENTRATE ALVIT-A

Each capsule contains :

Thiamine Mononitrate I.P 10 mg,

Riboflavine I.P 10 mg.

Pyruidoxine Hcl I.P 3 mg.

Niacinamide I.P 45 mg.

Chromium as Chromic Chloride USP 150 mcg

Sodium Selenite USP 100 mcg

Approved colours used in the Shell

34. CALCIUM LACTATE TABLETS B.P

Each uncoated tablet contains

**Calcium Lactate
(In the form of Calcium Lactate Pent hydrate)**

12. SEX ENHANCERS

**1. SILDENFIL CITRATE TABLETS 50 mg.
SKGRA-50**

Each coated tablet contains :

Sildenafil Citrte 50 mg.

**2. SILDENFIL CITRATE TABLETS 100 mg.
SKGRA-100**

Each coated tablet contains :

Sildenafil Citrte 100 mg.

3.Libido Herbal product

4.Libido gold herbal

13. ANTICONVULSANTS

01. SODIUM VALPROATE ENTERIC COATED TABLETS B.P

SOVOL

Each enteric coated tablet contains

Sodium Valproate B.P 200 mg.

Colour : Titanium dioxide B.P

ANTIMANIC

01. CHLORPROMAZINE TABLETS B.P

Each sugar coated tablet contains

Chlorpromazine Hydrochloride B.P 300 mg.

14.T.B DRUG

1. ETHAMBUTOL TABLETS B.P

Each uncoated tablet contains

Ethambutol Hydrochloride B.P 400 mg.

15.ANTI EMETIC

01. DOMP SUSPENSION 100 ml.

Each uncoated tablet contains

Domperidone B.P 1 mg.

Colour : Ponceau 4R

PRODUCTS (WHERE ONLY WE CAN PROVIDE COPP)

LIST OF WHO GMP PHARMACEUTICAL PRODUCTS ,where we can provide COPP.Other than these products come under GMP with certificate of analysis.The specifications of all the products are B.P / U.S.P

1. IBUPROFEN TABLETS B.P - IBU-400

EACH FILM COATED TABLET CONTAINS;

IBUPROFEN B.P 400 mg
COLOUR;ERYTHROSINE

2. IBUCETOL TABLETS

EACH UNCOATED TABLET CONTAINS;

IBUPROFEN B.P 400 mg.

PARACETAMOL B.P 325 mg

3. PARACETAMOL TABLETS I.P

EACH UNCOATED TABLET CONTAINS;

PARACETAMOL .AT B.P 500MG

4 . ENOLOL TABLETS B.P - ATENOL-100

EACH UNCOATED TABLET CONTAINS;

ATENOLOL B.P 100 MG.

5. GLIPIZIDE TABLETS B.P - GLYZIDE

EACH TABLET CONTAINS ;

GLIPIZIDE B.P 5MG

6. CIPROFLAXACIN TABKLETS B.P - KENCIPRO-250

EACH FILM COATED TABLET CONTAINS;
CIPROFLAXACIN HYDROCHLORIDE B.P
EQUALENT TO CIPROFLAXACIN I.P 250 MG
COLOUR;TITANIUM DIOXIDE
DOSAGE; AS DIRECTED BY THE PHYSICIAN

7. CIPROFLAXACIN TABLETS B.P - KENCIPRO-500

EACH FILM COATED TABLET CONTAINS;
CIPROFLAXACIN HYDROCHLORIDE B.P
EQUALENT TO CIPROFLAXACIN B.P 500 MG
COLOUR;TITANIUM DIOXIDE
DOSAGE ; AS DIRECTED BY THE PHYSICIAN.

8. ROXYTHROMYCIN TABLETS 150 MG. - ROXYKEN-150

EACH FILM COATED TABLET CONTAINS;
ROXYTHROMYCIN B.P 150 MG.
EXCIIPIENTS QS
COLOUR; TITANIUM OXIDE.

9. ROXYTHROMYCIN TABLETS 300 MG. - ROXYKEN-300 MG

EACH FILM COATED TABLET CONTAINS;
ROXYTHROMYCIN B.P 300 MG
EXCEPIENTS QS
COLOUR;TITANIUM OXIDE.

10. CEFADROXIL TABLETS 500 MG- SK DROX-500 TABLETS

**EACH FILM COATED TABLET CONTAINS
CEFADROXIL MONOHYDRATE**

EQUILANT TO ANHYDROUS CEFADROXYL U.S.P 500 MG

COLOUR;TITANIUM DIOXIDE

EXCIPIENTS QS

11. SERRATIO PEPTIDASE TABLETS - SERADASE-10

EACH ENTERIC COATED TABLET CONTAINS;

SERRATIOPEPTIDASE

(20;000 SERRATIOPEPTIDASE UNITS)

COLOUT;TITANIUM DIOXIDE B.P

CAPSULES

12. INDOMETHACIN CAPSULES B.P

EACH CAPSULE CONTAINS;

INDOMETHACIN B.P 25 MG

13. OMEPRAZOLE CAPSULES 20 MG - KENZOLE-20 MG

EACH CAPSULE CONTAINS;

OMEPRAZOLE B.P 20 MG.

14. DOXYCYCLINE CAPSULE B.P

EACH CAPSULE CONTAINS;

DOXYCYCLINE HYDROCHLORIDE B.P

EQUIVALENT TO DOXYCYCLINE 100 MG.

15. DOXYCYCLINE CAPSULE B.P

EACH CAPSULE CONTAINS;
DOXYCYCLINE HYDROCHLORIDE B.P
EQUIVALENT TO DOXYCYCLINE 200 MG.

16. TETRACYCLINE CAPSULE B.P

EACH CAPSULE CONTAINS;
TETRACYCLINE HYDROCHLORIDE B.P 250 MG.

17. RIFAMPICIN CAPSULES B.P

EACH CAPSULE CONTAINS;
RIFAMPICIN B.P 150 MG

18. RIFAMPICIN CAPSULES B.P

EACH CAPSULE CONTAINS;
RIFAMPICIN B.P 300 MG

19. FLUOXETINE U.S.P. 20 MG - KENZAC-20 MG

EACH HARD GELATIN CAPSULE CONTAINS;
FLUOXETINE(AS HYDROCHLORIDE) U.S.P 20 MG
EXCIPIENTS QS.

20. SEBOLIN-FORTE CAPSULES(THERAPEUTIC USE)

EACH CAPSULE CONTAINS;
VITAMIN B1(THIAMINE MONONITRATE) B.P 10 MG.
VITAMIN B2(RIBOFLAVINE) B.P 10 MG.
VITAMIN B6(PYRIDOXINE HCL) B.P 3 MG.
NIACINAMIDE B.P 45 MG.
ZINC SULPHATE B.P 80 MG.
GLUTAMIC ACID U.S.P 100 MG.

CHROMIUM(AS CHROMIC CHLORIDE) U.S.P 150 MCG.

SODIUM SELENITE U.S.P 100MCG

Dosage :ONE CAPSULE A DAY.

21. PIROXICAM CAPSULES B.P

EACH CAPSULE CONTAINS;

PIROXICAM B.P 20 MG.

22. LANUT-30

EACH CAPSULE CONTAINS ;

LANSOPRAZOLE 30 MG

AS ENTERIC COATED GRANNULES)

LIQUIDS

23. KENNER'S EXPECTORANT 100 ML

EACH 5ML CONTAINS;

CHLOROPHENARAMINE MALEATE B.P 2.5 MG

AMMONIUM CHLORIDE B.P 125 MG

SODIUM CITRATE B.P 62.5 MG

MENTHOL B.P 1.25 MG.

CHLOROFORM SPIRIT B.P 0.3 ML

24. ROXYTHROMYCIN SUSPENSION 60 ML - ROXYKEN

EACH 5ML CONTAINS;

ROXYTHROMYCIN B.P 50 MG.

COLOUR;SUNSET YELLOW

25. SODICIT 100 ML

EACH 5 ML CONTAINS;

SODIUM ACID CITRATE B.P 1.34 MG

(AS DISODIUM HYDROGEN CITRATE)

COLOUR;TARTRAZINE YELLOW

26. CALCICAL-B12 SYRUP

(FOR THERAPEUTIC USE 200 ML)

EACH 5 ML CONTAINS;

CALCIUM GLUCONATE B.P 37.5 MG

CALCIUM LACTATE B.P 55 MG

CYANACOBALAMIN B.P 5 MCG

VITAMIN D3 B.P 200 I.U

NIACINAMIDE B.P 22.5 MG DOSE; 5ML

CERTIFICATE OF PHARMACEUTICALS PRODUCTS

27. **ALUMINIUM HYDROXIDE AND MAGNESIUM TRISILICATE TABLETS B.P - ANTACID**

Each chewable tablet contains :

Alluminium Hydroxide B.P 200 mg

Magnesium Tri Silicate B.P 200 mg

Colour: Tatrazine Supra FCF

28. **SODIUM VALPROATE ENTERIC COATED TABLETS B.P - SOVOL**

Each enteric coated tablet contains :

Sodium Valproate B.P 200 mg

Colour : Titanium Dioxide B.P

29. METFORMIN TABLETS B.P - METMIN

Each film coated tablet contains :

Metformin Hydro Chloride B.P 500 mg

Colour : Titanium Dioxide B.P

30. DICLOFENAC SODIUM TABLETS B.P - DICOFEN-FC

Each Enteric Coated tablet contains :

Diclofenac Sodium B.P 50 mg

Color: Sunset Yellow FCF

31. ASPIRN TABLETS B.P

Each Uncoated tablet contains

Aspirin B.P 300 mg

32. IBUPROFEN TABLETS B.P

Each film coated tablet contains :

Ibuprofen B.P 200 mg

Colour : Erythrosin

33. DOXYCYCLINE CAPSULES B.P

Each Capsule Contains :

Doxycycline Hydrochloride B.P

Equivalent to Doxycycline B.P 100 mg

34. OMEPRAZOLE CAPSULES B.P - KENZOLE-20

Each Capsule Contains :

Omeprazole B.P 20 mg

(enteric coated granules)

approved colours used.

35. PROMETHAZINE HYDROCHLORIDE ORAL solution B.P - PROM

Each 5ml contains :

Promethazine Hydrochloride B.P 5 mg

Colour : Tatzazine Supra FCF

36. MILK OF MAGNESIA B.P (100 ML.)

SMITH & KENNER' s MILK OF MAGNESIA

Each 5 ml contains

Magnesium Hydroxide B.P 8.5% w/w

37. CLOXACILLIN CAPSULES B.P - CLOXA

Each Capsule contains :

Cloxacillin Sodium B.P

Equivalent to Cloxacillin 250 mg

38. AMOXYCILLIN CAPSULES B.P

Each Capsule contains :

Amoxicillin Trihydrate B.P

Equivalent to Amoxicillin 250 mg

39. AMOXYCILLIN CAPSULES B.P

Each Capsule contains :

Amoxicillin Trihydrate B.P

Equivalent to Amoxicillin 500 mg

40. CEPHALEXIN CAPSULES B.P

Each Capsule contains :

Cephalexin (Anhydrous) B.P 250 mg

41. CEPHALEXIN CAPSULES B.P

Each Capsule contains :

Cephalexin (Anhydrous) B.P 500 mg

42. AMPICILLIN CAPSULES B.P

Each Capsules contains :

Ampicillin Trihydrate B.P

Equivalent to Ampicillin 250 mg

43. AMPICILLIN CAPSULES B.P

Each Capsules contains :

Ampicillin Trihydrate B.P

Equivalent to Ampicillin 500 mg

44. AMOXYCILLIN ORAL SUSPENSION B.P - AMOXY-DRY

Each 5ml Re-constituted Suspension Contains :

Amoxycillin Trihydrate B.P

Equivalent to Amoxycillin 125 mg

Colour : Sunset yellow FCF

45. CEPHALEXIN ORAL SUSPENSION B.P

CEPH-SUSPENSION (DRY-SYRUP)

Each 5ml Re-Constituted Suspension Contains :

Cephalexin anhydrous B.P 250 mg Colour: Tatzazine Supra 46. Perindopril Tablets

Each Uncoated Sacred Tablet Contains :

Perindopril 4 mg

Excipients q.s

SCHEDULE 'H' DRUG

47. LEVOFLOXACIN TABLETS 500 MG

The prescription of a Registered

Each Film Coated Tablet Contains :

Levofloxacin Hemihydrate

Equivalent to Levofloxacin 500 mg

Colours : Red Oxide of Iron,

Yellow Oxide of Iron & Titanium Dioxide

48. KETORALAC TROMETHAMINE TABLETS USP

Each Film Coated Tablet contains

Ketoralac Tromethamine USP 10 mg

Colour: Titanium Dioxide

49. TRIMETAZIDINE DIHYDROCHLORIDE MODIFIED – RELEASE TABLETS

Each Film Coated Modified-Release Tablet contains :

Trimetazidine Dihydrochloride 35 mg

Colours : Red Oxide of Iron & Titanium Dioxide.

50. MELOXICAM TABLETS

STORE IN A COOL DRY PLACE.

Each Uncoated Tablet contains

Meloxicam 7.5 mg

Excipients q.s.

50. MELOXICAM TABLETS

Each Uncoated Tablet contains :

Meloxicam 15 mg

Excipients q.s

Dosage: as directed by The physician

51. LEVOFLOXACIN TABLETS 250 MG
Keep out of reach of children.

Each Film Coated Tablet Contains :

Levofloxacin Hemihydrate

Equivalent to Levofloxacin 250 mg

Colours : Red Oxide of Iron, Yellow Oxide
of Iron & Titanium Dioxide

53. TRIMETAZIDINE DIHYDROCHLORIDE TABLETS 20 MG

Each Film Coated Contains

Trimetazidine Dihydrochloride 20 mg

Colours: Yellow Oxide of Iron

54. METOPROLOL TARTRATE TABLETS 50 MG

Each uncoated Tablet Contains :

Metoprolol Tartrate 50 mg

55. METOPROLOL TARTRATE TABLETS 100 MG

Each uncoated Tablet Contains :

Metoprolol Tartrate 100 mg

Dosage : As directed by the physician.

VETERINARY PRODUCTS

01. Perindopril Tablets

Each Uncoated Sacred Tablet Contains :

Perindopril 4 mg

02. Levofloxacin Tablets 500 Mg

Each Film Coated Tablet Contains :

Levofloxacin Hemihydrate

Equivalent to Levofloxacin 500 mg

Colors : Red Oxide of Iron,

Yellow Oxide of Iron &

Titanium Dioxide

3. Ketoralac Tromethamine Tablets USP

Each Film Coated Tablet contains

Ketoralac Tromethamine USP 10 mg

Colour: Titanium Dioxide

4. Meloxicam Tablets

Each Uncoated Tablet contains :

Meloxicam 7.5 mg

05. Meloxicam Tablets

Each Uncoated Tablet contains :

Meloxicam 15 mg

06. Levofloxacin Tablets 250 Mg

Each Film Coated Tablet Contains :

Levofloxacin Hemihydrate

Equivalent to Levofloxacin 250 mg

Colors : Red Oxide of Iron, Yellow Oxide
of Iron & Titanium Dioxide

07. Trimetazidine Dihydrochloride Tablets 20 mg

Each Film Coated Contains :

Trimetazidine Dihydrochloride 20 mg

Colors: Yellow Oxide of Iron

8. Metoprolol Tartrate Tablets 50 mg

Each Uncoated Tablet Contains :

Metoprolol Tartrate 50 mg

9. Metoprolol Tartrate Tablets 100 mg

Each Uncoated Tablet Contains :

Metoprolol Tartrate 100 mg .

END OF PRODUCT LISTING

